

NOAA Technical Memorandum NMFS-F/NEC-48

Indexed Bibliography of the Bay Scallop (*Argopecten irradians*)



U.S. DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric Administration
National Marine Fisheries Service
Northeast Fisheries Center
Woods Hole, Massachusetts
May 1987

QL 430.7 , P3 53

NOAA TECHNICAL MEMORANDUM NMFS-F/NEC

Under the National Marine Fisheries Service's mission to "Achieve a continued optimum utilization of living resources for the benefit of the Nation," the Northeast Fisheries Center (NEFC) is responsible for planning, developing, and managing multidisciplinary programs of basic and applied research to: (1) better understand the living marine resources (including marine mammals) of the Northwest Atlantic, and the environmental quality essential for their existence and continued productivity; and (2) describe and provide to management, industry, and the public, options for the utilization and conservation of living marine resources and maintenance of environmental quality which are consistent with national and regional goals and needs, and with international commitments.

The timely need for such information by decision makers often precludes publication in formal journals. The NOAA Technical Memorandum NMFS-F/NEC series provides a relatively quick and highly visible outlet for documents prepared by NEFC authors, or similar material prepared by others for NEFC purposes, where formal review and editorial processing are not appropriate or feasible. However, documents within this series reflect sound professional work and can be referenced in formal journals. Any use of trade names within this series does not imply endorsement.

Copies of this and other *NOAA Technical Memorandums* are available from the National Technical Information Service, 5285 Port Royal Rd., Springfield, VA 22161. Recent issues of *NOAA Technical Memorandum NMFS-F/NEC* are noted below:

- **34.** Oceanology: Biology of the Ocean. Volume 2. Biological Productivity of the Ocean. By M.E. Vinogradov, editor in chief. First printed by Nauka Press, Moscow, 1977. Translated from the Russian by Albert L. Peabody. January 1985. x + 518 p., 81 figs., 59 tables. NTIS Access. No. PB85-204683/AS.
- 35. Annual NEMP Report on the Health of the Northeast Coastal Waters, 1982. By John B. Pearce, Carl R. Berman, and Marlene R. Rosen, eds., and Robert N. Reid (benthos), Catherine E. Warsh (water quality), and Edith Gould (biological effects), topic coords. January 1985. xi + 68 p., 29 figs., 5 tables. NTIS Access. No. PB85-219129/AS.
- 36. Growth and Survival of Larval Fishes in Relation to the Trophodynamics of Georges Bank Cod and Haddock. By Geoffrey C. Laurence and R. Gregory Lough. January 1985. xvi + 150 p., 67 figs., 15 tables, 1 app. NTIS Access. No. PB85-220093/AS.
- 37. Regional Action Plan: Northeast Regional Office and Northeast Fisheries Center. By Bruce E. Higgins, Ruth Rehfus, John B. Pearce, Robert J. Pawlowski, Robert L. Lippson, Timothy Goodger, Susan Mello Roe, and Douglas W. Beach. April 1985. ix + 84 p., 4 figs., 6 tables, 9 app. NTIS Access. No. PB85-219962/AS.



NOAA Technical Memorandum NMFS-F/NEC-48

This TM series is used for documentation and timely communication of preliminary results, interim reports, or special purpose information, and has not received complete formal review, editorial control, or detailed editing.

Indexed Bibliography of the Bay Scallop (Argopecten irradians)

Barbara D. Sabo and Edwin W. Rhodes

Milford Lab., National Marine Fisheries Serv., Milford, CT 06460



U.S. DEPARTMENT OF COMMERCE

Malcolm Baldrige, Secretary

National Oceanic and Atmospheric Administration

Anthony J. Calio, Administrator

National Marine Fisheries Service William E. Evans, Assistant Administrator for Fisheries

> Northeast Fisheries Center Woods Hole, Massachusetts May 1987



PREFACE

The impetus for this bibliography came from the need to provide Northeast Fisheries Center scientists with a compilation of the literature on the bay scallop, Argopecten irradians. As research on the bibliography progressed however, the original impetus became supplemented by the needs of independent researchers, students, and fishery resource managers who work with this

species.

Research began with a review and update of existing bibliographies on Argopecten irradians: Kopinski's "Partially Annotated Bibliography of Commercially Exploited Scallops (Pectinidae, Raffinesque, 1815)" (1978), and Tabarini's "A Partial Bibliography of the Bay Scallop, Argopecten irradians, 1960-1980" (1982). We augmented this core bibliography with entries gleaned from major scientific abstracts, indexes, and pertinent DIALOG databases. Review of the principal fishery journals and of marine science accessions lists resulted in additional entries.

Once the identification phase was complete, we located hard copies of each citation by searching our on-site collection, and by requesting copies not located on-site from other libraries and from the authors themselves. All of the articles that we obtained were examined for pertinency, bibliographic accuracy, and supplementary citations. A small percentage of the articles—mostly reports—could not be obtained. These are noted in the bibliography by an asterisk. Because these articles were unavailable, they have not been reviewed for either bibliographic accuracy or pertinency; indexing, which was done on the basis of title only, may thus be inaccurate or incomplete for the unobtained articles.

Both scientific and "gray" literature are included in the bibliography, with the only restriction being that the items had to be published—a restriction that forced us to disallow some gray literature citations. As an aid to researchers and librarians, all citations are <u>literatum</u>; no attempt was

made to correct misspellings or inaccuracies.

There are two indices: author and subject. The author index considers authorship to be the person(s) or corporate body responsible for the intellectual content of the work. It includes personal authors, editors, compilers, sponsoring agencies, and the like. The subject index serves as a general index, with a limited number of access points. The author index

begins on page 55; the subject index begins on page 73.

We thank the many librarians who willingly helped in our search, especially those at the Virginia Institute of Marine Science, the National Sea Grant Depository, and the NMFS's Northwest and Alaska Fisheries Center. We also thank Michael Castagna of the Virginia Institute of Marine Science and Ken Kelley of the Nantucket Shellfish and Marine Department who reviewed the early drafts and apprised us of some articles that we had missed in our search. Appreciation is also extended to Rita Riccio and Jon Gibson who edited the manuscript, and to Valerie Van Etten who typed it.

¹ Use of trade names does not imply endorsement.

BIBLIOGRAPHY

- 1. Abbott, R.T. 1954. American seashells. Princeton, NJ: D. van Nostrand Co., Inc.
- 2.* Abbott, R.T. 1968. Seashells of North America. New York: Golden Press.
- 3. Abbott, R.T. 1974. American seashells: the marine Mollusca of the Atlantic and Pacific coasts of North America. 2d. ed. New York: Van Nostrand Reinhold Co.
- 4. Abreau, K. 1977. 1977 scallop survey, Pleasant Bay. Chatham, MA: Shellfish Dept. 4 pp.
- 5. Adams, C.B. 1839. Observations on some species of the marine shells of Massachusetts, with descriptions of five new species. Boston Journal of Natural History 2: 262-289.
- 6. Allee, W.C. 1923. Studies in marine ecology: I. The distribution of common littoral invertebrates of the Woods Hole region.

 Biological Bulletin (Woods Hole) 44(1): 167-191.
- 7. Anderson, A.W. and C.E. Peterson. 1952. Fishery statistics of the United States, 1949. Washington, DC: U.S. Dept. Interior Statistical Digest No. 25. 298 pp.
- 8. Anderson, A.W. and C.E. Peterson. 1953. Fishery statistics of the United States, 1950. Washington, DC: U.S. Dept. Interior Statistical Digest No. 27. 492 pp.
- 9. Anderson, A.W. and C.E. Peterson. 1954. Fishery statistics of the United States, 1951. Washington, DC: U.S. Dept. Interior Statistical Digest No. 30. 341 pp.
- 10. Anderson, A.W. and E.A. Power. 1946. Fishery statistics of the United States, 1942. Washington, DC: U.S. Dept. Interior Statistical Digest No. 11. 248 pp.
- 11. Anderson, A.W. and E.A. Power. 1947. Fishery statistics of the United States, 1943. Washington, DC: U.S. Dept. Interior Statistical Digest No. 14. 241 pp.
- 12. Anderson, A.W. and E.A. Power. 1948. Fishery statistics of the United States, 1944. Washington, DC: U.S. Dept. Interior Statistical Digest No. 16. 284 pp.
- 13. Anderson, A.W. and E.A. Power. 1949. Fishery statistics of the United States, 1945. Washington, DC: U.S. Dept. Interior Statistical Digest No. 18. 372 pp.
- 14. Anderson, A.W. and E.A. Power. 1950a. Fishery statistics of the United States, 1946. Washington, DC: U.S. Dept. Interior Statistical Digest No. 19. 265 pp.

- 15. Anderson, A.W. and E.A. Power. 1950b. Fishery statistics of the United States, 1947. Washington, DC: U.S. Dept. Interior Statistical Digest No. 21. 285 pp.
- 16. Anderson, A.W. and E.A. Power. 1951. Fishery statistics of the United States, 1948. Washington, DC: U.S. Dept. Interior Statistical Digest No. 22. 305 pp.
- 17. Anderson, A.W. and E.A. Power. 1955. Fishery statistics of the United States, 1952. Washington, DC: U.S. Dept. Interior Statistical Digest No. 34. 345 pp.
- 18. Anderson, A.W. and E.A. Power. 1956a. Fishery statistics of the United States, 1953. Washington, DC: U.S. Dept. Interior Statistical Digest No. 36. 338 pp.
- 19. Anderson, A.W. and E.A. Power. 1956b. Fishery statistics of the United States, 1954. Washington, DC: U.S. Dept. Interior Statistical Digest No. 39. 374 pp.
- 20. Anderson, A.W. and E.A. Power. 1957. Fishery statistics of the United States, 1955. Washington, DC: U.S. Dept. Interior Statistical Digest No. 41. 446 pp.
- 21. Andrews, J.D. 1971. Climatic and ecological settings for growing shellfish. <u>In</u>: Price, K.S., Jr. and D.L. Maurer (eds.). Artificial propagation of commercially valuable shellfish: proceedings of the conference; Oct. 22-23, 1969; University of Delaware. Newark, DE: University of Delaware, College of Marine Studies: 97-107. (Also cited as Virginia Institute of Marine Science Contribution No. 371.)
- 22. Anon. 1972. Utilization of sewage effluent for shellfish culture. FAO Aquaculture Bulletin 5(1): 4-5.
- 23. Anon. 1972. Culture of resources in a cold water marine environment. In: The University of Maine's coherent project Sea Grant Program: a report on the University of Maine's Sea Grant Program for 1 May 1971 to 30 April 1972. Orono, ME: University of Maine Sea Grant Publication No. MEU-Q-72-001: 3-15.
- 24. Anon. 1972. Improvement of fisheries for molluscs. <u>In: Virginia Institute of Marine Science Sea Grant Report for 19</u>72. Gloucester Point, VA: Virginia Institute of Marine Science Sea Grant Publication No. VIMS-Q-72-001: 16-17.
- 25. Anon. 1973. Improvement of fisheries for molluscs. In: Virginia Institute of Marine Science Sea Grant Report for 1973. Gloucester Point, VA: Virginia Institute of Marine Science Sea Grant Publication No. VIMS-Q-73-001: 26-29. (Also cited as Virginia Institute of Marine Science Sea Grant Publication No. VIMS-Z-73-007.)

- 26. Anon. 1973. VIMS tags scallops, seeks migration patterns.
 National Fisherman 54(7): 25A.
- 27. Anon. 1975. Will bay scallops ever return to Rhode Island?
 Narragansett, RI: University of Rhode Island NEMRIP Information 78: 1-2.
- 28. Anon. 1983. Rapid growth and high market value make scallop aquaculture enticing. National Fisherman 63(11): 27-28.
- 29. Aprill, G.H. 1984. Common seashells of Delaware. Lewes, DE: University of Delaware Sea Grant, Marine Advisory Service Publication No. MAS 5. 6 pp.
- 30. Ash, B.M and R.E. Stephens. 1975. Ciliogenesis during the sequential formation of molluscan gill filaments. Developmental Biology 43(2): 340-347.
- 31. Ashiba, G. and A.G. Szent-Györgyi. 1985. Essential light chain exchange in scallop myosin. Biochemistry 24(23): 6618-6623.
- 32. Atkins, D. 1938. On the ciliary mechanisms and interrelation-ships of lamellibranchs: VII. Latero-frontal cilia of the gill filaments and their phylogenetic value. Quarterly Journal Microscopical Science 80: 345-437, 1 pl., 12 text figs.
- 33. Auster, P.J. and L.L. Stewart. 1984. Compensatory growth in the bay scallop, <u>Argopecten irradians</u> (L.). Journal of North-west Atlantic Fishery Science 5(1): 103-104. (Also cited as University of Connecticut, Marine Research Laboratory Contribution No. 157.)
- 34. Baptist, J.P., D.A. Wolfe and D.R. Colby. 1976. Effects of chronic gamma radiation on the growth and survival of juvenile clams (Mercenaria mercenaria) and scallops (Argopecten irradians). Health Physics 30(1): 79-83.
- 35. Bárány, M. and K. Bárány. 1966. Myosin from the striated adductor muscle of scallop (Pecten arradians). Biochemische Zeitschrift 345(1): 37-56.
- 36. Barber, B.J. 1984. Reproductive energy metabolism in the bay scallop, <u>Argopecten irradians concentricus</u> (Say). Tampa, FL: University of South Florida. 134 pp. Dissertation.
- 37. Barber, B.J. and N.J. Blake. 1981. Energy storage and utilization in relation to gametogenesis in Argopecten irradians concentricus (Say). Journal of Experimental Marine Biology and Ecology 52(2-3): 121-134.

- 38. Barber, B.J. and N.J. Blake. 1983. Growth and reproduction of the bay scallop, <u>Argopecten irradians</u> (Lamarck) at its southern distributional limit. Journal of Experimental Marine Biology and Ecology 66(3): 247-256.
- 39. Barber, B.J. and N.J. Blake. 1985a. Intra-organ biochemical transformations associated with oogenesis in the bay scallop, Argopecten irradians concentricus (Say), as indicated by 14°C incorporation. Biological Bulletin (Woods Hole) 168(1): 39-49.
- 40. Barber, B.J. and N.J. Blake. 1985b. Substrate catabolism related to reproduction in the bay scallop Argopecten irradians concentricus, as determined by O/N and RQ physiological indexes. Marine Biology 87(1): 13-18.
- 41. Bardach, J.E., J.H. Ryther and W.O. McLarney (eds.). 1972. Aquaculture: the farming and husbandry of freshwater and marine organisms. New York: Wiley Inter-Science.
- 42. Bayne, B.L. 1976. Aspects of reproduction in bivalve molluscs.

 In: Wiley, M. (ed.). Estuarine processes: uses, stresses,
 and adaptation to the estuary. New York: Academic Press:
 432-448. (Wiley, M.; Estuarine processes: uses, stresses,
 and adaptation to the estuary; vol. 1).
- 43. Belding, D.L. 1907. Scallop (<u>Pecten irradians</u>). <u>In:</u> Report on the shellfisheries of Massachusetts. Boston, MA:
 Commonwealth of Massachusetts Commission on Fisheries and Game Report for 1906, Public Document No. 25: 53-61.
- 44. Belding, D.L. 1909. Scallop (<u>Pecten irradians</u>). <u>In</u>: The shellfisheries of Massachusetts: their present condition and extent. Boston, MA: Commonwealth of Massachusetts Commission on Fisheries and Game Report on the Mollusk Fisheries of Massachusetts: 80-116.
- 45. Belding, D.L. 1910a. A report upon the scallop fishery of Massachusetts, including the habits, life history of Pecten irradians, its rate of growth, and other facts of economic value. Boston, MA: Special Report of the Commonwealth of Massachusetts Commission on Fisheries and Game. 150 pp., 118 figs.
- 46. Belding, D.L. 1910b. The scallop fishery of Massachusetts: including an account of the natural history of the common scallop. Boston, MA: Commonwealth of Massachusetts Commission on Fisheries and Game, Marine Fisheries Series No. 3. 51 pp.
- 47. Bell, A.L. 1966. The fine structure of the eye of the scallop, Pecten irradians. Biological Bulletin (Woods Hole) 131(2): 385 (abstract).

- 48. Bito, L.Z. 1972. Comparative study of concentrative prostaglandin accumulation by various tissues of mammals and marine vertebrates and invertebrates. Comparative Biochemistry and Physiology 43A(1): 65-82.
- 49. Blake, N.J. 1972. Environmental regulation of neurosecretion and reproductive activity in the bay scallop, <u>Aequipecten irradians</u> Lamarck. Kingston, RI: University of Rhode Island. 161 pp. Thesis.
- 50. Blake, N.J. and A.N. Sastry. 1979. Neurosecretory regulation of oogenesis in the bay scallop, Argopecten irradians irradians (Lamarck). In: Naylor, E. and R.G. Hartnol (eds.). Cyclic phenomena in marine plants and animals: proceedings of the 13th European marine biology symposium; Sept. 27-Oct. 4, 1978; Isle of Man. Oxford: Pergamon Press: 181-190.
- 51. Blake, N.J. and P.P. Yevich. 1972. The neurosecretory cycle of the bay scallop, Aequipecten irradians. General and Comparative Endocrinology 18(3): 576-577 (abstract No. 16).
- 52. Blogoslawski, W.J., M.E. Stewart and E.W. Rhodes. 1978.

 Bacterial disinfection in shellfish hatchery disease control. Proceedings of the Annual Meeting of the World Mariculture Society 9: 589-602.
- 53. Blumer, M., G. Souza and J. Sass. 1970. Hydrocarbon pollution of edible shellfish by an oil spill. Marine Biology 5(3): 195-202. (Also cited as Woods Hole Oceanographic Institution Contribution No. 2444.)
- 54. Bonnet, J.C., V.D. Sidwell and E.G. Zook. 1974. Chemical and nutritive values of several fresh and canned finfish, crustaceans, and mollusks: II. Fatty acid composition. Marine Fisheries Review 36(2): 8-9. (MFR Paper 1033).
- 55. Boss, K.J. and A.S. Merrill. 1965. Degree of host specificity in two species of <u>Odostomia</u> (<u>Pyramidellidae:Gastropoda</u>). Proceedings of the Malacological Society of London 36(6): 349-355.
- 56. Broom, M.J. 1976. Synopsis of biological data on scallops
 (Chlamys (Aequipecten) opercularis (Linnaeus), Argopecten
 irradians (Lamarck), Argopecten gibbus (Linnaeus)). FAO
 Fisheries Synopsis No. 114. 44 pp.
- 57. Burle, E. and W.W. Kirby-Smith. 1979. Growth of the bay scallop,

 Argopecten irradians, fed an artificial diet rich in

 protein. Estuaries 2(3): 206-208.
- 58. Burrell, V.G., Jr. 1983. Molluscan aquaculture in the United States: a brief overview. Journal of the World Mariculture Society 14: 164-169. (Also cited as South Carolina Marine Resources Center Contribution No. 159.)

- 59. Cake, E. 1973. Larval cestode infections in several edible bivalve mollusks from the vicinity of St. Theresa, Florida. Proceedings of the National Shellfisheries Association 63: 1 (abstract).
- 60.* Cake, E.W., Jr. 1975. Larval and postlarval cestode parasites of shallow-water, benthic mollusks of the Gulf of Mexico from the Florida Keys to the Mississippi Sound. Tallahassee, FL: Florida State University. 412 pp. Dissertation.
- 61. Cake, E.W., Jr. 1976. A key to larval cestodes of shallow-water, benthic mollusks of the northern Gulf of Mexico. Proceedings of the Helminthological Society of Washington 43(2): 160-171.
- 62. Cake, E.W., Jr. 1977. Larval cestode parasites of edible mollusks of the northeastern Gulf of Mexico. Gulf Research Reports 6(1): 1-8.
- 63. Cake, E.W., Jr. 1979. Polypocephalus sp. (Cestoda;
 Lecanicephalidae): a description of tentaculo-plerocercoids
 from bay scallops of the northeastern Gulf of Mexico.
 Proceedings of the Helminthological Society of Washington
 46(2): 165-170.
- 64. Calabrese, A., F.P. Thurberg and E. Gould. 1977. Effects of cadmium, mercury, and silver on marine animals. Marine Fisheries Review 39(4): 5-11. (MFR Paper 1244).
- 65. Capuzzo, J.M. (ed.). 1984. Bay scallop fishery: problems and management: proceedings of a workshop; Oct. 28, 1983; Woods Hole Oceanographic Institution, Woods Hole, MA. Woods Hole, MA: Woods Hole Oceanographic Institution Technical Report No. 84-38. 35 pp.
- 66. Capuzzo, J.M., G.R. Hampson and R.E. Taylor, Jr. 1983. Seeding program for the bay scallop: comparison of local bays, Falmouth, MA. Woods Hole, MA: Woods Hole Oceanographic Institution Annual Sea Grant Report, 1981-1982: 5-6.
- 67. Capuzzo, J.M. and R.E. Taylor, Jr. 1980. Preliminary investigations of local populations of the bay scallop, <u>Argopecten irradians irradians Lamarck</u>. Woods Hole, MA: Woods Hole Oceanographic Institution Annual Sea Grant Report, 1978-1979: 26.
- 68. Capuzzo, J.M. and R.E. Taylor. 1982. Seeding program for the bay scallop: comparison of local bays, Falmouth, MA. Woods Hole, MA: Woods Hole Oceanographic Institution Annual Sea Grant Report, 1980-1981: 13.
- 69. Carmichael, N.G. and B.A. Fowler. 1978. X-ray microanalytical studies of Ca, Mn and Mg containing crystalline inclusion bodies in kidney cells of bay scallop (Argopecten irradians). Federation Proceedings 37(3): 266 (abstract No. 290).

- 70. Carmichael, N.G. and B.A. Fowler. 1981. Cadmium accumulation and toxicity in the kidney of the bay scallop <u>Argopecten</u> irradians. Marine Biology 65(1): 35-43.
- 71. Carmichael, N.G., K.S. Squibb and B.A. Fowler. 1979. Metals in the molluscan kidney: a comparison of two closely related bivalve species (<u>Argopecten</u>), using X-ray microanalysis and atomic absorption spectroscopy. Journal of the Fisheries Research Board of Canada 36(9): 1149-1155.
- 72. Carriker, M.R. 1950. Some recent investigations of native bivalve larvae in New Jersey estuaries. Proceedings of the National Shellfisheries Association 41: 69-74.
- 73. Castagna, M. 1975. Culture of the bay scallop, Argopecten irradians, in Virginia. Marine Fisheries Review 37(1): 19-24. (MFR Paper 1113)
- 74. Castagna, M. 1983. Review of recent bivalve culture methods.
 Journal of the World Mariculture Society 14: 567-575. (Also cited as Virginia Institute of Marine Science Contribution No. 1134.)
- 75. Castagna, M. and P. Chanley. 1973. Salinity tolerance of some marine bivalves from inshore and estuarine environments in Virginia waters on the western mid-Atlantic coast. Malacologia 12(1): 47-96. (Also cited as Virginia Institute of Marine Science Contribution No. 476.)
- 76. Castagna, M. and W. Duggan. 1971. Rearing the bay scallop,

 Aequipecten irradians. Proceedings of the National Shellfisheries Association 61: 80-85. (Also cited as Virginia
 Institute of Marine Science Contribution No. 388.)
- 77. Castagna, M. and W.P. Duggan. 1972. Mariculture experiments with the bay scallop, Argopecten irradians, in waters of the seaside of Virginia. Bulletin of the American Malacological Union 37: 21 (abstract). (Also cited as Virginia Institute of Marine Science Contribution No. 411.)
- 78. Castagna, M. and W.P. Duggan. 1973. Mariculture experiments with the bay scallop, <u>Argopecten irradians</u>, in the waters of the seaside of Virginia. South Florida Shell Club 11(1): 5.
- 79. Castagna, M.A., W.P. Duggan and D. Garten. 1971. Spawning and rearing the bay scallop: VIMS laboratory method. Gloucester Point, VA: Virginia Institute of Marine Science, Marine Resources Advisory Series No. 5. 3 pp. (Also cited as Virginia Institute of Marine Science Sea Grant Publication No. VIMS-G1-71-001.)

- 80. Chalovich, J.M., P.D. Chantler, A.G. Szent-Györgyi and E. Eisenberg. 1983. Regulation of molluscan actomyosin ATPase by Ca²⁺. Biophysical Journal 41(2): 153a (abstract No. M-PM-18).
- 81. Chalovich, J.M., P.D. Chantler, A.G. Szent-Gyorgyi and E. Eisenberg. 1984. Regulation of molluscan actomyosin ATPase activity. Journal of Biological Chemistry 259(4): 2617-2621.
- 82. Chanley, M.H. 1981. Laboratory culture of marine bivalve molluscs. <u>In</u>: National Research Council Committee on Marine Invertebrates. Laboratory animal management: marine invertebrates. Washington, DC: National Academy Press: 233-249.
- 83. Chanley, P. 1975. Laboratory cultivation of assorted bivalve mollusks. <u>In</u>: Smith, W.L. and M.H. Chanley (eds.). Culture of marine invertebrate animals: proceedings of the conference; Oct., 1972; Greenport, NY. New York: Plenum Press: 297-318.
- 84. Chanley, P. and J.D. Andrews. 1971. Aids for identification of bivalve larvae of Virginia. Malacologia 11(1): 45-119. (Also cited as Virginia Institute of Marine Science Contribution No. 322.)
- 85. Chantler, P.D., D.J. Marsh and S.R. Martin. 1981. The myosin ATPase mechanism does not require a conformationally sensitive aromatic residue. Journal of Muscle Research and Cell Motility 2(4): 453-466.
- 86. Chantler, P.D., J.R. Sellers and A.G. Szent-Györgyi. 1981. Cooperativity in scallop myosin. Biochemistry 20(1): 210-216.
- 87. Chantler, P.D. and A.G. Szent-Györgyi. 1978. Spectroscopic studies on invertebrate myosins and light chains. Biochemistry 17(25): 5440-5448.
- 88. Chantler, P.D. and A.G. Szent-Györgyi. 1980. Regulatory light-chains and scallop myosin: full dissociation, reversibility and co-operative effects. Journal of Molecular Biology 138(3): 473-492.
- 89. Cheng, T.C. 1967. Marine molluscs as hosts for symbioses with a review of known parasites of commercially important species. In: Russell, F.S. (ed.). Advances in marine biology. New York: Academic Press. 424 pp. (Russell, F.S.; Advances in marine biology; vol. 5).
- 90. Cheng, T.C. and D.A. Foley. 1971. Blood cells of pelecypods.
 American Zoologist 11(4): 699-700 (abstract No. 516).

- 91. Chestnut, A.F. and H.S. Davis. 1975. Synopsis of marine fisheries of North Carolina: I. Statistical information, 1880-1973. Raleigh, NC: University of North Carolina Sea Grant Publication No. UNC-SG-75-12. 425 pp.
- 92. Chew, K.K., J.H. Beattie and J.D. Donaldson. 1986. Bivalve mollusc hatchery techniques, maturation and triggering of spawning. Paper presented at the international seminar on shellfish culture development and management; March 4-9, 1985; La Rochelle (France). (In press).
- 93.* Chin, C.P. 1985. Control of glycolysis during burst contractile activity in the phasic adductor muscle of the bay scallop,

 Argopecten irradians concentricus. Tallahassee, FL: Florida State University. 166 pp. Dissertation.
- 94. Chin, C.P. and W.R. Ellington. 1981. Arginine phosphate and ATP utilization and formation in the "snap" and "catch" adductor muscles of the bay scallop, Argopecten irradians concentricus. American Zoologist 21(4): 940 (abstract No. 141).
- 95. Chin, C.P. and W.R. Ellington. 1983. Energy metabolism during contractile activity and environmental hypoxia in the phasic adductor muscle of the bay scallop <u>Argopecten irradians</u> concentricus. Physiological Zoology 56(4): 623-631.
- 96. Chipman, W.A. 1954. On the rate of water propulsion by the bay scallop. Proceedings of the National Shellfisheries Association 45: 136-139.
- 97. Chipman, W.A. and J.G. Hopkins. 1954. Water filtration by the bay scallop, <u>Pecten irradians</u>, as observed with the use of radioactive plankton. Biological Bulletin (Woods Hole) 107(1): 80-91.
- 98. Clark, G.R., II. 1969. Shell characteristics of the family Pectinidae as environmental indicators. Pasadena, CA: California Institute of Technology. 101 pp. Thesis.
- 99. Clarke, A.H., Jr. 1963. Variation and subspecific divisions within <u>Aequipecten irradians</u> (Lamarck). American Malacological Union, Pac. Div., Annual Report for 1963: 10 (abstract).
- 100. Clarke, A.H., Jr. 1965. The scallop superspecies <u>Aequipecten irradians</u> (Lamarck). Malacologia 2(2): 161-188.
- 101. Clarke, A.H., Jr. 1967. Recent and post-Pleistocene Mollusca from Sable Island, Nova Scotia. Report of the American Malacological Union, Pac. Div.: 11-12 (summary).

- 102. Clarke, A.H., Jr., D.J. Stanley, J.C. Medcof and R.E. Drinnan. 1967. Ancient oyster and bay scallop shells from Sable Island. Nature (London) 215(5106): 1146-1148.
- 103. Claus, C. 1981. Trends in nursery rearing of bivalve molluscs.

 In: Claus, C., N. de Pauw and E. Jaspers (eds.). Nursery
 culturing of bivalve molluscs: proceedings of the international workshop; Feb. 24-26, 1981; Ghent, Belgium: 1-33.
 Bredenne, Belgium: European Mariculture Society Special
 Publication No. 7; 394 pp.
- 104. Coe, W.R. 1942. Sexual differentiation in mollusks: I.
 Pelecypods. The Quarterly Review of Biology 18: 154-164.
 (Also cited as Scripps Institution of Oceanography
 Contribution No. 197.)
- 105. Coe, W.R. 1945. Development of the reproductive system and variations in sexuality in <u>Pecten</u> and other pelecypod mollusks.

 Transactions Connecticut Academy Arts and Sciences 36: 673-700. (Also cited as Scripps Institution of Oceanography Contribution No. 255.)
- 106. Cohen, C., A.G. Szent-Györgyi and J. Kendrick-Jones. 1971. Paramyosin and the filaments of molluscan "catch" muscles:
 I. Paramyosin: structure and assembly. Journal of Molecular Biology 56(2): 223-237.
- 107. Colton, H.S. 1914. Results of a statistical study of variation in the blue shells of <u>Pecten nucleus irradians</u> found at Atlantic City, N.J. The Nautilus 28(1): 52-54.
- 108. Cooper, R.A. and N. Marshall. 1963. Condition of the bay scallop, <u>Aequipecten irradians</u>, in relation to age and the environment. Chesapeake Science 4(3): 126-134. (Also cited as University of Rhode Island Graduate School of Oceanography, Narragansett Marine Laboratory Contribution No. 72.)
- 109. Costello, T.J., J.H. Hudson, J.L. Dupuy and S. Rivkin. 1973.

 Larval culture of the calico scallop, Argopecten gibbus.

 Proceedings of the National Shellfisheries Association 63:
 72-76. (Also cited as Virginia Institute of Marine Science Contribution No. 478 and NOAA, NMFS, Southeast Fisheries Center Contribution No. 225.)
- 110. Costlow, J.D., Jr. and W.W. Kirby-Smith. 1970. The effects of water current on the growth of the bay scallop, <u>Argopecten irradians</u> (Lamark). Final report to the North Carolina Board of Science and Technology, Grant No. 279. 4 pp.
- 111. Crise, H.L. 1970. Nantucket scallopers pinched after banner '69. National Fisherman 50(3): 25-A, 28-A.

- 112. Curray, J.R. 1960. Sediments and history of Holocene transgression, continental shelf, northwest Gulf of Mexico. In: Shepard, F.P., F.B. Phleger and T.H. van Andel (eds.). Recent sediments, northwest Gulf of Mexico: a symposium summarizing the results of work carried on in Project 51 of the American Petroleum Institute, 1951-1958. Tulsa, OK: American Association of Petroleum Geologists: 221-266. (Condensation of unpublished doctoral dissertation, University of California, Scripps Institution of Oceanography, 1959.)
- 113. Curtis, H. 1966. The bright-eyed scallop. Sea Frontiers 12(4): 194-202.
- 114. D'Agostino, A. 1979. Culture of crustaceans and other invertebrates. <u>In:</u> Terry, O.W. and D.M. Chase (eds.).

 Mariculture in New York State: proceedings of a symposium;
 Oct. 22, 1977; Southampton College, Southampton, New York.

 Albany, NY: New York Sea Grant Institute Report No. NYSGI-RP-79-01: 38-45.
- 115. Dall, W.H. 1889. A preliminary catalogue of the shell-bearing marine mollusks and brachiopods of the southeastern coast of the United States, with illustrations of many of the species. Bulletin of the U.S. Natural History Museum 37. 221 pp., 74 pls. (Reprinted in 1903.)
- 116. Dall, W.H. 1925. Notes on the nomenclature of some of our east American species of Pecten with descriptions of new species. The Nautilus 38(9): 112-120.
- 117. Davenport, C.B. 1900. On the variation of the shell of <u>Pecten</u> irradians Lamarck from Long Island. The American Naturalist 34(407): 863-877, 2 figs.
- 118. Davenport, C.B. 1938. Growth lines in fossil <u>Pectens</u> as indicators of past climates. Journal of Paleontology 12(5): 514-515.
- 119. Davenport, C.B. and M.E. Hubbard. 1904. Studies in the evolution of Pecten: IV. Ray variability in Pecten varius.

 Journal of Experimental Zoology 1(4): 607-616.
- 120.* Davies, T.J. 1983. The influence of the epibionts <u>Codium</u>

 <u>fragile</u> and <u>Crepidula fornicata</u> on the predation of

 the bay scallop <u>Argopecten irradians</u> by the sea star

 <u>Asterias forbesi</u> and the oyster drill <u>Urosalpinx cinerea</u>.

 <u>Garden City, NY: Adelphi University. 52 pp. Thesis.</u>
- 121. Davis, R.L. and N. Marshall. 1961. The feeding of the bay scallop, <u>Aequipecten irradians</u>. Proceedings of the National Shellfisheries Association 52: 25-29. (Also cited as University of Rhode Island, Graduate School of Oceanography Contribution No. 62.)

- 122. Dentler, W.L., M.M. Pratt and R.E. Stephens. 1980. Microtubule-membrane interactions in cilia: II. Photochemical cross-linking of bridge structures and the identification of a membrane-associated dynein-like ATPase. Journal of Cell Biology 84(2): 381-403.
- 123. Derby, C.D. and J. Atema. 1980. Induced host odor attraction in the pea crab <u>Pinnotheres maculatus</u>. Biological Bulletin (Woods Hole) 158(1): 26-33.
- 124. Dillaman, R.M. and S.E. Ford. 1982. Measurement of calcium carbonate deposition in molluscs by controlled etching of radioactively labeled shells. Marine Biology 66(2): 133-143.
- 125. Dillaman, R.M., S.E. Ford and K.M. Wilbur. 1980. Measurement of mineral deposition by controlled etching of isotopically labelled molluscan shells. Haliotis 10(2): 47 (abstract).
- 126. Dodd, J.R. 1969. Effect of light on rate of growth of bivalves.

 Nature (London) 224(5219): 617-618.
- 127. Dodd, J.R. and R.J. Stanton, Jr. 1975. Paleosalinities within a Pliocene bay, Kettleman Hills, California: a study of the resolving power of isotopic and faunal techniques. Geological Society of America Bulletin 86(1), Document No. 50108: 51-64.
- Doyle, L.J., N.J. Blake, C.C. Woo and P. Yevich. 1978. Recent biogenic phosphorite: concretions in mollusk kidneys. Science (Washington, DC) 199(4336): 1431-1433.
- 129. Dreyer, W.A. and W.A. Castle. 1941. Occurrence of the bay scallop, <u>Pecten irradians</u>. Ecology 22(4): 425-427.
- 130. Driscoll, E.G. 1970a. Selective bivalve shell destruction in marine environments, a field study. Journal of Sedimentary Petrology 40(3): 898-905.
- 131. Driscoll, E.G. 1970b. Destruction of potential fossils by boring organisms and abrasion. Geological Society of America Bulletin Abstracts 2(7): 740-741 (abstract).
- 132. Duggan, W.P. 1973. Growth and survival of the bay scallop,

 Argopecten irradians, at various locations in the
 water column and at various densities. Proceedings of the
 National Shellfisheries Association 63: 68-71. (Also
 cited as Virginia Institute of Marine Science Sea Grant
 Publication No. VIMS-R-73-006.)
- 133. Duggan, W.P. 1975. Reactions of the bay scallop, Argopecten irradians, to gradual reductions in salinity. Chesapeake Science 16(4): 284-286. (Also cited as Virginia Institute of Marine Science Contribution No. 610.)

- 134. Duggan, W.P. and M.A. Castagna. 1971. Studies on mariculture of bay scallop, Argopecten irradians. In: Hargis, W.J., Jr. (ed.). Research on Chesapeake Bay and contiguous waters of the Chesapeake Bight of the Virginian Sea. Gloucester Point, VA: Virginia Institute of Marine Science Sea Grant Publication No. VIMS-Q-71-001: 22. (Also cited as Virginia Institute of Marine Science Sea Grant Publication No. VIMS-Z-71-003.)
- 135. Duke, T., J. Willis, T. Price and K. Fischler. 1969. Influence of environmental factors on the concentrations of ⁶⁵Zn by an experimental community. <u>In</u>: Nelson, D.J. and F.C. Evans (eds.). Proceedings of the second national symposium on radioecology; May 15-17, 1967; Ann Arbor, MI. Springfield, VA: U.S. Dept. Commerce, Clearinghouse for Federal Scientific and Technical Information: 355-362.
- 136. Eidemiller, A. 1969a. Stimuli involved in the establishment and maintenance of the commensal relationship between Pinnotheres maculatus Say and Aequipecten irradians concentricus. Virginia Journal of Science 20: 111 (abstract).
- 137. Eidemiller, A. 1969b. Entry behavior of the crab <u>Pinnotheres</u> maculatus Say. Quarterly Journal of the Florida Academy of Sciences 32(4): 266-274.
- 138. Eisler, R., G.E. Zaroogian and R.J. Hennekey. 1972. Cadmium uptake by marine organisms. Journal of the Fisheries Research Board of Canada 29(9): 1367-1369.
- 139. Elston, R. 1979. Economically important larval bivalve diseases and their control. Rivista Italiana di Piscicultura e Ittiopatologia 14(2): 47-51.
- 140. Engle, J.B. 1966. The molluscan shellfish industry: current status and trends. Proceedings of the National Shellfisheries Association 56: 13-21.
- 141. Epifanio, C.E. 1976. Shell deformity among scallops (<u>Argopecten irradians Lamark</u>) cultured in a recirculating seawater system.

 Aquaculture 9(1): 81-85.
- 142. Epifanio, C.E. 1979. Comparison of yeast and algal diets for bivalve molluscs. Aquaculture 16(3): 187-192.
- 143. Estabrooks, S.L. 1972. Seasonal variation in the chemical composition of the bay scallop, <u>Aequipecten irradians</u> Lamarck. <u>In:</u> Read, K.R.H. (ed.). Poseidon '72: proceedings of the student symposium, Project Poseidon; May 25, 1972; Boston University. Boston, MA: Boston University Sea Grant Publication No. BSTNU-W-72-001: 47-52

- 144. Estabrooks, S.L. 1973. Seasonal variation in the glycogen and lipid content of the bay scallop, <u>Aequipecten irradians</u> lamarck. Boston, MA: Northeastern University. 68 pp. Thesis.
- 145. FAO. 1964-1985. Yearbook of fishery statistics: catches and landings. Rome, Italy: Food and Agriculture Organization of the United Nations. Paging variable.
- 146. Fan, S.-F., M.M. Dewey, D. Colflesh, B. Gaylinn, R.A. Greguski and B. Chu. 1985. The active cross-bridge motions of isolated thick filaments from myosin-regulated muscles detected by quasi-elastic light scattering. Biophysical Journal 47(6): 809-821.
- 147. Fay, C.W., R.J. Neves and G.B. Pardue. 1983. Bay scallop. Washington, DC: U.S. Dept. Interior, Fish and Wildlife Service Species Profile FWS/OBS-82/11.12. 17 pp.
- 148. Ferguson, J.C. 1982. A comparative study of the net metabolic benefits derived from the uptake and release of free amino acids by marine invertebrates. Biological Bulletin (Woods Hole) 162(1): 1-17.
- 149. Fiedler, R.H. 1942. Fishery statistics of the United States, 1939. Washington, DC: U.S. Dept. Interior Statistical Digest No. 1. 220 pp.
- 150. Fiedler, R.H. 1943. Fishery statistics of the United States, 1940. Washington, DC: U.S. Dept. Interior Statistical Digest No. 4. 225 pp.
- 151. Fiedler, R.H. 1945. Fishery statistics of the United States, 1941. Washington, DC: U.S. Dept. Interior Statistical Digest No. 7. 174 pp.
- 152. Flicker, P.F., T. Wallimann and P. Vibert. 1983. Electron microscopy of scallop myosin: location of regulatory light chains. Journal of Molecular Biology 169(3): 723-741.
- 153. Foehrenbach, J. 1972. Chlorinated pesticides in estuarine organisms. Journal of the Water Pollution Control Federation 44(4): 619-624.
- 154. Foehrenbach, J., G. Mahmood and D. Sullivan. 1971. Chlorinated hydrocarbon residues in shellfish (Pelecypoda) from estuaries of Long Island, New York. Pesticides Monitoring Journal 5(3): 242-247. (Also cited as New York State Dept. of Environmental Conservation, Division of Marine and Coastal Resources Contribution No. 71-2.)

- 155. Fordham, E.C. 1970. Scallop culture: hatchery rearing of the larval and juvenile stages of the bay scallop, <u>Aequipecten irradians</u>. Hartford, CT: Connecticut Research Commission, Grant No. RSA-70-24. 25 pp.
- 156. Foster, J.M. 1980. Scallops in St. Joseph Bay, Florida. Underwater Naturalist 12(3): 14-16.
- 157. Fricke, P.H. 1981. Socioeconomic aspects of the bay scallop fishery in Carteret County, N.C. Raleigh, NC: North Carolina State University Sea Grant Publication No. UNC-SG-WP-81-12. 29 pp.
- 158. Gabbott, P.A. 1975. Storage cycles in marine bivalve molluscs: a hypothesis concerning the relationship between glycogen metabolism and gametogenesis. In: Barnes, H. (ed.). Proceedings of the 9th European marine biology symposium; Oct. 2-8, 1974; Dunstaffinage Marine Research Laboratory, Oban, Scotland. Aberdeen: Aberdeen University Press: 191-211.
- 159. Gaines, A.G., Jr. and D.A. Ross. 1984. Perceptions of the bay scallop fishery of southern Massachusetts: analysis of a questionnaire, Oct. 1983. In: Capuzzo, J. (ed.). Bay scallop fishery: problems and management: proceedings of a workshop; Oct. 28, 1983; Woods Hole Oceanographic Institution, Woods Hole, MA: 17-26. Woods Hole, MA: Woods Hole Oceanographic Institution Technical Report No. 84-38.
- 160. Galus, H.S. 1977a. Mass. bay scalloping is bad, though key exceptions noted. National Fisherman 57(9): 10-A, 30-A.
- 161. Galus, H.S. 1977b. Undersize scallop crackdown is short lived.
 National Fisherman 58(1): 5-A.
- 162. Ganong, W.F. 1889. The economic Mollusca of Acadia. Bulletin of the Natural History Society of New Brunswick 8: 3-116.
- 163. Ganong, W.F. 1890. Willis' list of Nova Scotian shells, 1863. Proceedings and Transactions of the Nova Scotian Institute of Natural Science for 1887, 1887-88, 1888-89, 1889-90, vol. 7: 419-428. (Reprint of Willis, J.R.; Marine, land and freshwater shells of Nova Scotia Mollusca; report to the Smithsonian Institute; 1863.)
- 164. Gardner, G.R., P.P. Yevich and P.F. Rogerson. 1975.

 Morphological anomalies in adult oyster, scallop, and
 Atlantic silversides exposed to waste motor oil. In:
 Proceedings of the 1975 conference on prevention and control
 of oil pollution; March 25-27, 1975; San Francisco,
 California. Washington, DC: American Petroleum Institute:
 473-477.

- 165.* Garey, J.F. 1980. Selected alternatives to conventional chlorination. Falmouth, MA: Marine Research Foundation, Inc. Report No. EPRI-EA-1588. 108 pp.
- 166. Gates, J.M., G.C. Matthiessen and C.A. Griscom. 1974.

 Aquaculture in New England. Kingston, RI: University of Rhode Island Marine Technical Report Series No. 18. 77 pp. (Also cited as University of Rhode Island Sea Grant Publication No. RIU-T-74-003.)
- 167. Gaucher, T.A. 1972. Summary of progress report on program to reestablish the bay scallop in the Niantic River estuary. Prepared for the Waterford-East Lyme (CT) Shellfish Commission. 2 pp.
- 168. Gaucher, T.A. and V. Lee. 1972. Progress report on the program to revitalize the bay scallop in the Niantic River estuary. Prepared for the Waterford-East Lyme (CT) Shellfish Commission. 35 pp.
- 169. Ghiretti, F. 1966. Respiration. In: Wilbur, K.M. and C.M. Yonge (eds.). Physiology of Mollusca. New York: Academic Press: 175-208. (Wilbur, K.M.; Yonge, C.M.; Physiology of Mollusca, vol. 2, chapt. 5).
- 170. Gibbons, E. 1964. Stalking the blue-eyed scallop. New York: David McKay Co., Inc.
- 171. Gibbons, M.C. and M. Castagna. 1984. Serotonin as an inducer of spawning in six bivalve species. Aquaculture 40(2): 189-191. (Also cited as Virginia Institute of Marine Science Contribution No. 1183).
- 172.* Giese, A.C. and J.S. Pearse (eds.). 1974. Treatise on physiology and ecology of reproduction in marine invertebrates. New York: Academic Press.
- 173. Gillmor, R.B. 1982. Assessment of intertidal growth and capacity adaptations in suspension-feeding bivalves. Marine Biology 68(3): 277-286.
- 174. Gillmor, R.B. and H. Hidu. 1983. Morphometric patterns in intertidal bivalves. Journal of Shellfish Research 3(1): 91 (abstract).
- 175. Glude, J.B. (ed.). 1977. NOAA Aquaculture Plan. Washington, DC: U.S. Dept. Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service and Office of Sea Grant. 41 pp.
- 176. Goldberg, A. and W. Lehman. 1978. Troponin-like proteins from muscles of the scallop, <u>Aequipecten irradians</u>. Biochemical Journal 171(2): 413-418.

- 177. Goldberg, R. 1978. Some effects of gas-supersaturated seawater on Spisula solidissima and Argopecten irradians. Aquaculture 14(4): 281-287.
- 178. Gorman, A.L.F. and J.S. McReynolds. 1969. Hyperpolarizing and depolarizing receptor potentials in the scallop eye. Science (Washington, DC) 165(3890): 309-310.
- 179. Gorman, A.L.F. and J.S. McReynolds. 1972. Potassium dependence of the hyperpolarizing receptor potential of the scallop photoreceptor. Biological Bulletin (Woods Hole) 143(2): 464 (abstract).
- 180. Gorman, A.L.F. and J.S. McReynolds. 1974. Control of membrane K⁺ permeability in a hyperpolarizing photoreceptor: similar effects of light and metabolic inhibitors. Science (Washington, DC) 185(4151): 620-621.
- 181. Gorman, A.L.F. and J.S. McReynolds. 1978. Ionic effects on the membrane potential of hyperpolarizing photoreceptors in scallop retina. Journal of Physiology 275: 345-355.
- 182. Graham, R. 1984. Bay scallop mariculture. Underwater Naturalist 14(4): 14-17.
- 183. Greenberg, M.J. 1969. Some properties of junctional cilia in molluscan gills. Biological Bulletin (Woods Hole) 137(2): 389 (abstract).
- 184. Gusey, W.F. 1976. The fish and wildlife resources of the Middle Atlantic Bight. Houston, TX: Shell Oil Co., Environmental Affairs: 541, 544-554.
- 185. Gusey, W.F. 1981. The fish and wildlife resources of the south Atlantic coast. Houston, TX: Shell Oil Co., Environmental Affairs: 6-179 to 6-180.
- 186.* Gutsell, J.S. 1929a. Natural history of the bay scallop. Ithaca, NY: Cornell University. 38 pp. Dissertation.
- 187. Gutsell, J.S. 1929b. Scallop industry of North Carolina. Washington, DC: Report of U.S. Commissioner of Fisheries for the Fiscal Year 1928, Part 1, Appendix 5, Document No. 1043: 173-197, 11 figs.
- 188. Gutsell, J.S. 1931. Natural history of the bay scallop.
 Bulletin of the U.S. Bureau of Fisheries, 1930, vol. 46,
 Document No. 1100, 1930: 569-632.
- 189. Haines, K.C. 1973. A rapid technique for recording sizes of juvenile pelecypod molluscs. Aquaculture 1(4): 433 (technical note). (Also cited as Lamont-Doherty Geological Observatory Contribution No. 1912.)

- 190. Hall, V.A. 1984. A review of the reproduction, development, growth and culture of the bay scallop, <u>Argopecten irradians</u> (Lamarck). Boston, MA: Boston University. 135 pp. Thesis.
- 191. Hamilton, P.V., M.A. Winter and R.K. Pegg. 1981. Effects of whole drilling mud and selected components on the shell movements of the bay scallop, <u>Argopecten irradians</u>. Northeast Gulf Science 5(1): 13-20.
- 192. Hampson, G. and J.M. Capuzzo. 1984. Growth and reproduction of bay scallops in shallow and deepwater embayments. In:
 Capuzzo, J. (ed.). Bay scallop fishery: problems and management: proceedings of a workshop; Oct. 28, 1983; Woods Hole Oceanographic Institution, Woods Hole, MA: 4-5
 (abstract). Woods Hole, MA: Woods Hole Oceanographic Institution Technical Report No. 84-38.
- 193. Hanks, R.W. 1971. Minor species--bay scallops, razor clams, and mussels. American Malacological Union Inc. Annual Report: 15-16.
- 194. Harbison, G.R. 1971. The adenosine deaminases of the bay scallop and several other bivalved molluscs. Tallahassee, FL: Florida State University. 137 pp. Dissertation.
- 195. Harbison, G.R. and J.R. Fisher. 1973a. Purification, properties and temperature dependence of the adenosine deaminase from a poikilotherm (bay scallop). Archives of Biochemistry and Biophysics 154(1): 84-95.
- 196. Harbison, G.R. and J.R. Fisher. 1973b. Comparative studies on the adenosine deaminases of several bivalved molluscs.

 Comparative Biochemistry and Physiology 46B(2): 283-293.
- 197. Harbison, G.R. and J.R. Fisher. 1974. Substrate-dependent apparent activation energies of the adenosine deaminases from bivalved molluscs. Comparative Biochemistry and Physiology 47B(1): 27-32.
- 198. Hardwicke, P.M.D. and A.G. Szent-Györgyi. 1985. Proximity of regulatory light chains in scallop myosin. Journal of Molecular Biology 183(2): 203-211.
- 199. Hardwicke, P.M.D., T. Wallimann and A.G. Szent-Györgyi. 1982.

 Regulatory and essential light-chain interactions in scallop myosin: I. Protection of essential light-chain thiol groups by regulatory light-chains. Journal of Molecular Biology 156(1): 141-152.
- 200. Hardwicke, P.M.D., T. Wallimann and A.G. Szent-Györgyi. 1983. Light-chain movement and regulation in scallop myosin. Nature (London) 301(5900): 478-482.

- 201. Hartline, H.K. 1938. The discharge of impulses in the optic nerve of <u>Pecten</u> in response to illumination of the eye.

 Journal of Cellular and Comparative Physiology 11(3):
 465-477.
- 202. Helm, N.E. and R.E. Malouf. 1983. Rate of production of external ridges in the bay scallop, <u>Argopecten irradians</u>. American Zoologist 23(4): 1024 (abstract No. 835).
- 203. Hickey, M.T. 1978. Age, growth, reproduction and distribution of the bay scallop, <u>Aequipecten irradians irradians</u> (Lamarck), in three embayments of eastern Long Island, New York, as related to the fishery. Proceedings of the National Shellfisheries Association 68: 80-81 (abstract).
- 204. Hillman, R.E. and R.A. Marconi. 1980. A microcell disease of the bay scallop <u>Argopecten irradians</u>. Proceedings of the National Shell-fisheries Association 70: 126-127 (abstract).
- 205. Hoff, J.G. 1968. Occurrence of <u>Liparis atlanticus</u> in <u>Aequipecten irradians</u> in Buzzards Bay, Massachusetts. Transactions of the <u>American Fisheries Society</u> 97(3): 278.
- 206. Hopkins, H.S. 1930. Age differences and the respiration in muscle tissues of mollusks. Journal of Experimental Zoology 56(2): 209-239, 2 text figs., 1 pl.
- 207. Howard, D.W. and C.S. Smith. 1983. Histological techniques for marine bivalve mollusks. Washington, DC: U.S. Dept. Commerce. NOAA Technical Memorandum NMFS-F/NEC-25. 97 pp.
- 208.* Hsiao, Y-M. 1985. Economic analysis of the hard clam fishery management problems in North Carolina. Raleigh, NC: North Carolina State University. 108 pp. Dissertation.
- 209. Hyde, I.H. 1903. The nerve distribution in the eye of Pecten irradians. In: Parker, G.H. (ed.). Mark anniversary volume. New York: Henry Holt: 471-482.
- 210. Ingersoll, E. 1886. The scallop and its fishery. The American Naturalist 20(12): 1001-1006.
- 211. Jackson, R.T. 1890. Phylogeny of the <u>Pelecypoda</u>; the <u>Aviculidae</u> and their allies. Memoirs of the <u>Boston Society of Natural</u> History 4(8): 277-400, 8 pls.
- 212. Jacot, A.P. 1921. Some marine molluscan shells of Beaufort and vicinity. Journal of the Elisha Mitchell Scientific Society 36(3): 129-145, 3 pls.
- 213. Johnson, C.W. 1934. List of marine Mollusca of the Atlantic coast from Labrador to Texas. Proceedings of the Boston Society of Natural History 40(1): 1-203.

- 214. Joint Subcommittee on Aquaculture. 1983. National aquaculture development plan, vols. I & II. Washington, DC: Federal Coordinating Council on Science, Engineering and Technology.
- 215. Jones, J.G. 1986. The puzzling life of the bay scallop. Maritimes 30(1): 14-16.
- 216. Jones, J.G. and C.S. Hammen. 1982. The effect of temperature on octopine dehydrogenase in the bay scallop <u>Argopecten irradians irradians</u>. Federation Proceedings 41(4): 1237 (abstract No. 5648).
- 217. Judson, W.I., R.C. MacPherson, L. Kelly and E.R. Townshend. 1976.

 A determination of the amount of potential bay scallop habitat in Prince Edward Island waters. Prince Edward Island, Canada: Prince Edward Island Dept. of Fisheries, Aquaculture Branch Technical Report No. 181. 45 pp., 2 appendices.
- 218.* Kahler, G.A. 1973. Structure and function of the hinge ligament of marine bivalve molluscs. Houston, TX: Rice University. 154 pp. Dissertation.
- 219. Kahler, G.A., F.M. Fisher, Jr. and R.L. Sass. 1976. The chemical composition and mechanical properties of the hinge ligament in bivalve molluscs. Biological Bulletin (Woods Hole) 151(1): 161-181.
- 220. Karlsson, J.D. 1976. A study of stabilization of natural scallop populations by augmentation with artificially produced seed. Providence, RI: Rhode Island Dept. of Natural Resources, Division of Fish and Wildlife Leaflet No. 44. 13 pp.
- 221. Karney, R.C. 1981. Shellfish propagation on Martha's Vineyard. Journal of Shellfish Research 1(1): 117 (abstract).
- 222. Karney, R.C. 1984. Hatchery and field culture of the bay scallop on Martha's Vineyard. <u>In</u>: Capuzzo, J. (ed.). Bay scallop fishery: problems and management: proceedings of a workshop; Oct. 28, 1983; Woods Hole Oceanographic Institution, Woods Hole, MA: 6 (abstract). Woods Hole, MA: Woods Hole Oceanographic Institution Technical Report No. 84-38.
- 223. Kelley, K.M. 1981a. The Nantucket bay scallop fishery: trying to answer some of the questions. <u>In</u>: Kelley, K.M. (ed.). The Nantucket bay scallop fishery: the resource and its management. Nantucket, MA: Shellfish and Marine Dept.: 9-15.
- 224. Kelley, K.M. 1981b. Mass strandings of bay scallops on Nantucket and their subsequent survival. <u>In</u>: Kelley, K.M. (ed.). The Nantucket bay scallop fishery: the resource and its management. Nantucket, MA: Shellfish and Marine Dept.: 69-73.

- 225. Kelley, K.M. 1981c. Mortalities of bay scallops on Nantucket as the result of the 1981 freezeup. <u>In</u>: Kelley, K.M. (ed.). The Nantucket bay scallop fishery: the resource and its management. Nantucket, MA: Shellfish and Marine Dept.: 74-79.
- 226. Kelley, K.M. 1981d. Bay and sea scallops in Nantucket Sound and The Chord of The Bay. <u>In</u>: Kelley, K.M. (ed.). The Nantucket bay scallop fishery: the resource and its management. Nantucket, MA: Shellfish and Marine Dept.: 80-85.
- 227. Kelley, K.M. 1981e. Thinning of dense scallop beds. <u>In:</u>
 Kelley, K.M. (ed.). The Nantucket bay scallop fishery: the
 resource and its management. Nantucket, MA: Shellfish and
 Marine Dept.: 86-88.
- 228. Kelley, K.M. 1981f. The management of the Nantucket bay scallop resource. <u>In</u>: Kelley, K.M. (ed.). The Nantucket bay scallop fishery: the resource and its management. Nantucket, MA: Shellfish and Marine Dept.: 92-106.
- 229. Kelley, K. 1983. Here is an inexpensive yet effective spat collector. National Fisherman 63(11): 28.
- 230. Kelley, K.M. 1985a. Scallop aquaculture on Nantucket improves harvest. New Alchemist Quarterly, Spring 1985: 11.
- 231. Kelley, K.M. 1985b. An update on the management of the Nantucket bay scallop resource. Nantucket, MA:
 Shellfish and Marine Dept. 43 pp.
- 232. Kelley, K.M. (ed.). 1981. The Nantucket bay scallop fishery: the resource and its management. Nantucket, MA: Shellfish and Marine Dept. 108 pp.
- 233. Kelley, K. and M. Ceely. 1980. Studies of bay scallops,
 Argopecten irradians, on Nantucket, 1979-80 season.
 Nantucket, MA: Shellfish and Marine Dept. 13 pp.
- 234. Kelley, K.M. and C.F. Gieg, Jr. 1981. Adult scallop survival, spring through fall, on Nantucket. <u>In</u>: Kelley, K.M. (ed.). The Nantucket bay scallop fishery: the resource and its management. Nantucket, MA: Shellfish and Marine Dept.: 16-34.
- 235. Kelley, K.M. and M. Kirby. 1981. <u>Codium fragile</u> and its effect on the Nantucket bay scallop industry. <u>In</u>: Kelley, K.M. (ed.). The Nantucket bay scallop fishery: the resource and its management. Nantucket, MA: Shellfish and Marine Dept.: 35-39.

- 236. Kelley, K.M. and J.D. Sisson. 1981a. Setting preference of bay scallops, <u>Argopecten irradians</u>. <u>In</u>: Kelley, K.M. (ed.). The Nantucket bay scallop fishery: the resource and its management. Nantucket, MA: Shellfish and Marine Dept.: 40-42.
- 237. Kelley, K.M. and J.D. Sisson. 1981b. Seed sizes and their use in determining spawning and setting times of bay scallops on Nantucket. In: Kelley, K.M. (ed.). The Nantucket bay scallop fishery: the resource and its management. Nantucket, MA: Shellfish and Marine Dept.: 43-49.
- 238. Kelley, K.M. and J.D. Sisson. 1984. A simple spat collector for bay scallops, Argopecten irradians. In: Capuzzo, J. (ed.). Bay scallop fishery: problems and management: proceedings of a workshop; Oct. 28, 1983; Woods Hole Oceanographic Institution, Woods Hole, MA: 7 (abstract). Woods Hole, MA: Woods Hole Oceanographic Institution Technical Report No. 84-38.
- 239. Kellogg, J.L. 1892. A contribution to our knowledge of the morphology of lamellibranchiate mollusks. Bulletin of the U.S. Fish Commission for 1890, vol. 10: 389-436, 15 pls.
- 240. Kellogg, J.L. 1910. Shellfish industries. New York: Henry Holt & Co.
- 241. Kellogg, J.L. 1915. Ciliary mechanisms of lamellibranchs with descriptions of anatomy. Journal of Morphology 26(4): 625-701, 72 figs.
- 242.* Kellogg, R.L. 1985. A bioeconomic model for determining the optimal timing of harvest with application to two North Carolina fisheries. Raleigh, NC: North Carolina State University. 297 pp. Dissertation.
- 243. Kellogg, R.L. and D. Spitsbergen. 1983. Predicative growth model for the meat weight (adductor muscle) of bay scallops in North Carolina. Raleigh, NC: North Carolina State University Sea Grant Working Paper No. 83-6. 37 pp., 1 appendix.
- 244. Kelly, R.E. and R.V. Rice. 1967. Abductin: a rubber-like protein from the internal triangular hinge ligament of <u>Pecten.</u> Science (Washington, DC) 155(3759): 208-210.
- 245. Kemprecos, P.W. 1977. Heavy scallop run in Cape Cod Bay dredged by armada of small craft. National Fisherman 57(10): 18-A.
- 246. Kendrick-Jones, J., C. Cohen, A.G. Szent-Györgyi and W. Longley. 1969. Paramyosin: molecular length and assembly. Science (Washington, DC) 163(3872): 1196-1198.

- 247. Kendrick-Jones, J., W. Lehman and A.G. Szent-Györgyi. 1970. Regulation in molluscan muscles. Journal of Molecular Biology 54(2): 313-326.
- 248. Kendrick-Jones, J., E.M. Szentkirályi and A.G. Szent-Györgyi.
 1972. Myosin-linked regulatory systems: the role of the
 light chains. Cold Spring Harbor Symposia on Quantitative
 Biology 37: 47-53.
- 249. Kendrick-Jones, J., E.M. Szentkiralyi and A.G. Szent-Györgyi. 1976. Regulatory light chains in myosins. Journal of Molecular Biology 104(4): 747-775.
- 250. Kirby-Smith, W.W. 1969. Growth of the bay scallop Aequipecten irradians (Lamark), as influenced by food concentration and temperature. American Zoologist 9(4): 1144-1145 (abstract No. 550).
- 251. Kirby-Smith, W.W. 1970. Growth of the scallops, Argopecten irradians concentricus (Say) and Argopecten gibbus (Linné), as influenced by food and temperature. Durham, NC: Duke University. 127 pp. Dissertation.
- 252. Kirby-Smith, W.W. 1972. Growth of the bay scallop: the influence of experimental water currents. Journal of Experimental Marine Biology and Ecology 8(1): 7-18.
- 253. Kirby-Smith, W.W. 1976. The detritus problem and the feeding and digestion of an estuarine organism: In: Wiley, M. (ed.). Estuarine processes: uses, stresses, and adaptation to the estuary. New York: Academic Press: 469-479. (Wiley, M.; Estuarine processes: uses, stresses, and adaptation to the estuary; vol. 1).
- 254. Kirby-Smith, W.W. and R.T. Barber. 1974. Suspension-feeding aquaculture systems: effects of phytoplankton concentration and temperature on growth of the bay scallop. Aquaculture 3(2): 135-145.
- 255. Kopinski, E. 1978. A partially annotated bibliography of commercially exploited scallops (Pectinidae, Rafinesque 1815). FAO Fisheries Circular No. 716. 158 pp.
- 256. Kraeuter, J., L. Adamkewicz, M. Castagna, R. Wall and R. Karney.
 1984. Rib number and shell color in hybridized subspecies
 of the Atlantic bay scallop, <u>Argopecten irradians</u>. The
 Nautilus 98(1): 17-20. (Also cited as Virginia Institute of
 Marine Science Contribution No. 1157.)
- 257. Kraeuter, J.N., M. Castagna and R. van Dessel. 1982. Egg size and larval survival of Mercenaria mercenaria (L.) and Argopecten irradians (Lamarck). Journal of Experimental Marine Biology and Ecology 56(1): 3-8. (Also cited as Virginia Institute of Marine Science Contribution No. 986.)

- 258.* Kruczynski, W.L. 1971. The relationship of the pea crab,

 Pinnotheres maculatus (Say) with the scallops Argopecten
 irradians concentricus (Say) and Argopecten gibbus (Linne).

 Chapel Hill, NC: University of North Carolina. 174 pp.
 Dissertation.
- 259. Kruczynksi, W.L. 1972. The effect of the pea crab, <u>Pinnotheres</u> maculatus Say, on growth of the bay scallop, <u>Argopecten irradians</u> concentricus (Say). Chesapeake Science 13(3): 218-220.
- 260. Kruczynski, W.L. 1973. Distribution and abundance of <u>Pinnotheres</u> maculatus Say in Bogue Sound, North Carolina. Biological Bulletin (Woods Hole) 145(3): 482-491.
- 261. Kruczynski, W.L. 1975. A radioactive tracer study of food uptake by Pinnotheres maculatus in molluscan hosts. Biological Bulletin (Woods Hole) 148(1): 60-67.
- 262.* Kruse, D.N. 1966. Life cycle studies on Nematopsis duorari n.sp. (Gregarina: Porosporidae), a parasite of the pink shrimp (Pennaeus duorarum) and pelecypod molluscs. Tallahassee, FL: Florida State University. 181 pp. Dissertation.
- 263. Krzeczkowski, R.A., R.D. Tenney and M.L. Hayes. 1972. Fatty acid content and proximate analysis of bay, calico, sea and weathervane scallop adductor muscle. Journal of Food Science 37(2): 300-301.
- 264. Lagally, H.R., T.C. Siewicki and G.N. Biddle. 1980. Influence of cadmium ingestion on bone mineralization in the rat.

 Nutrition Reports International 21(3): 365-373.
- 265.* Lamarck, J.B.P.A. de M. 1819. Histoire naturelle des animaux sans vertèbres. Paris 6(1): 343 pp.
- 266. Lauckner, G. 1983. Diseases of Mollusca: Bivalvia. In: Kinne, O. (ed.). Diseases of marine animals. Hamburg: Biologische Anstalt Helgoland: 477-961. (Kinne, O.; Diseases of marine animals; vol. 2, chapt. 13).
- 267. Lavoie, R.E. 1986. The culture of molluscs in Canada an overview. Paper presented at the international seminar on shellfish culture development and management; March 4-9, 1985; La Rochelle (France). (In press).
- 268. Le Pennec, M. and D. Prieur. 1977. Les antibiotiques dans les élevages de larves de bivalves marins. Aquaculture 12(1): 15-30. (English abstract).
- 269. Lee, P.C., J.R. Fisher and P.F. Ma. 1973. Immunochemical studies of adenosine deaminases from several vertebrates and a mollusc. Comparative Biochemistry and Physiology 46B(3): 483-486.

- 270. Lehman, W. 1983a. The ionic requirements for regulation by molluscan thin filaments. Biochimica et Biophysica Acta 745(1): 1-5.
- 271. Lehman, W. 1983b. The distribution of troponin-like proteins on thin filaments of the bay scallop, <u>Aequipecten irradians</u>.

 Journal of Muscle Research and Cell Motility 4(3): 379-389.
- 272. Lehman, W. and M. Ferrell. 1980. Phylogenetic diversity of troponin subunit-C amino acid composition. FEBS Letters 121(2): 273-274.
- 273. Lehman, W., J.F. Head and P.W. Grant. 1979. Troponin-like components of the bay scallop Aequipecten irradians.

 Journal of General Physiology 74(6): 9a (abstract No. 17).
- 274. Lehman, W., J.F. Head and P.W. Grant. 1980a. Troponin-like proteins in the scallop, <u>Aequipecten irradians</u>. European Journal of Cell Biology 22(1): 320 (abstract No. C953). (Also cited as Federation Proceedings 39(6): 1620 (abstract No. 104).)
- 275. Lehman, W., J.F. Head and P.W. Grant. 1980b. The stoichiometry and location of troponin I- and troponin C-like proteins in the myofibril of the bay scallop, Aequipecten irradians.

 Biochemistry Journal 187(2): 447-456.
- 276. Leibovitz, L. 1986. Abnormal mortalities apparently unrelated to known pathogenic agents. Paper presented at the international seminar on shellfish culture development and management; March 4-9, 1985; La Rochelle (France). (In press).
- 277. Leibovitz, L., E.F. Schott and R.C. Karney. 1984a. Diseases of wild, captive and cultured scallops. <u>In</u>: Capuzzo, J. (ed.). Bay scallop fishery: problems and management: proceedings of a workshop; Oct. 28, 1983; Woods Hole Oceanographic Institution, Woods Hole, MA: 8-9 (abstract). Woods Hole, MA: Woods Hole Oceanographic Institution Technical Report No. 84-38.
- 278. Leibovitz, L., E.F. Schott and R.C. Karney. 1984b. Diseases of wild, captive and cultured scallops. Journal of the World Mariculture Society 15: 269-283.
- 279.* Leone, D. and E. Zuraw. 1970. Field studies of the Niantic River. Groton, CT: General Dynamics, Electric Boat Division Report No. U-413-70-012. 12 pp.
- 280. Levine, R., M. Elfvin, M. Dewey and G. de Villafranca. 1973.

 Paramyosin content and the structure of invertebrate

 muscle. Journal of Cell Biology 59(2): 192A (abstract No. 384).

- 281. Levine, R.J.C., M. Elfvin, M.M. Dewey and B. Walcott. 1976.

 Paramyosin in invertebrate muscles: II. Content in relation to structure and function. Journal of Cell Biology 71(1): 273-279.
- 282. Lichtenfels, J.R., J.W. Bier and P.A. Madden. 1978. Larval anisakid (Sulcascaris) nematodes from Atlantic molluscs with marine turtles as definitive hosts. Transactions of the American Microscopical Society 97(2): 199-207.
- 283. Linck, R.W. 1970. A biochemical comparison of ciliary and flagellar axonemes from the bay scallop, <u>Aequipecten irradians</u>. Biological Bulletin (Woods Hole) 139(2): 429 (abstract).
- 284.* Linck, R.W. 1972. Comparative ultrastructure and biochemistry of cilia and flagella from the lamellibranch mollusc,

 Aequipecten irradians. Waltham, MA: Brandeis University.

 165 pp. Dissertation.
- 285. Linck, R.W. 1973a. Comparative isolation of cilia and flagella from the lamellibranch mollusc, Aequipecten irradians. Journal of Cell Science 12(2): 345-367.
- 286. Linck, R.W. 1973b. Chemical and structural differences between cilia and flagella from the lamellibranch mollusc,

 Aequipecten irradians. Journal of Cell Science 12(3): 951981.
- 287. Linton, E. 1915. Note on trematode sporocysts and cercariae in marine mollusks of the Woods Hole region. Biological Bulletin (Woods Hole) 28(4): 198-209. (Also cited as Proceedings of U.S. National Museum 46: 551-555.)
- 288. Loosanoff, V.L. and H.C. Davis. 1963. Rearing of bivalve mollusks. <u>In:</u> Russell, F.S. (ed.). Advances in marine biology. New York: Academic Press: 1-136, 43 figs. (Russell, F.S.; Advances in marine biology; vol. 1).
- 289. Loosanoff, V.L., H.C. Davis and P.E. Chanley. 1966. Dimensions and shapes of larvae of some marine bivalve mollusks. Malacologia 4(2): 351-435.
- 290. Ludel, J. 1974. Behavioral responses to visual stimulation in the scallop (Aequipecten irradians). Florida Scientist 37(2): 78-90.
- 291. Lutz, R., J. Goodsell, M. Castagna, S. Chapman, C. Newell, H. Hidu, R. Mann, D. Jablonski, V. Kennedy, S. Siddall, R. Goldberg, H. Beattie, C. Falmagne, A. Chestnut and A. Partridge. 1982. Preliminary observations on the usefulness of hinge structures for identification of bivalve larvae. Journal of Shellfish Research 2(1): 65-70.

- 292. Lyles, C.H. 1965. Fishery statistics of the United States, 1963. Washington, DC: U.S. Dept. Interior Statistical Digest No. 57. 522 pp.
- 293. Lyles, C.H. 1966. Fishery statistics of the United States, 1964. Washington, DC: U.S. Dept. Interior Statistical Digest No. 58. 541 pp.
- 294. Lyles, C.H. 1967. Fishery statistics of the United States, 1965. Washington, DC: U.S. Dept. Interior Statistical Digest No. 59. 756 pp.
- 295. Lyles, C.H. 1968. Fishery statistics of the United States, 1966. Washington, DC: U.S. Dept. Interior Statistical Digest No. 60. 679 pp.
- 296. Lyles, C.H. 1969a. Fishery statistics of the United States, 1967. Washington, DC: U.S. Dept. Interior Statistical Digest No. 61. 490 pp.
- 297. Lyles, C.H. 1969b. Historical catch statistics (shellfish).
 Washington, DC: U.S. Dept. Interior Current Fishery
 Statistics No. 5007, Historical Statistics No. 16. 116 pp.
- 298. Macfarlane, S.L. 1984. Scallops in Pleasant Bay, Orleans, Massachusetts: a question of large seed. In: Capuzzo, J. (ed.). Bay scallop fishery: problems and management: proceedings of a workshop; Oct. 28, 1983; Woods Hole Oceanographic Institution, Woods Hole, MA: 10 (abstract). Woods Hole, MA: Woods Hole Oceanographic Institution Technical Report No. 84-38.
- 299. Mackie, G.L. 1984. Bivalves. <u>In</u>: Tompa, A.S., N.H. Verdonk and J.A.M. van den Biggelaar (eds.). The <u>Mollusca</u>: reproduction. New York: Academic Press: 351-418. (Tompa, A.S.; Verdonk, N.H.; van den Biggelaar, J.A.M.; The <u>Mollusca</u>; vol. 7, chapt. 5).
- 300. Maine Commission on Sea and Shore Fisheries. 1920. The scallop industry. Orono, ME: State of Maine Commission on Sea and Shore Fisheries Biennial Report No. 2: 33-37.
- 301.* Malone, P.G. 1969. Paleotemperature determinations from pelecypod skeletal carbonates from the Upper Pleistocene of the Atlantic coast. Cleveland, OH: Case Western Reserve University. 208 pp. Dissertation.
- 302. Mangum, C. and W. van Winkle. 1973. Responses of aquatic invertebrates to declining oxygen conditions. American Zoologist 13(2): 529-541.

- 303. Mann, R. and R.E. Taylor, Jr. 1977. Growth of the bay scallop,

 Argopecten irradians, in a waste recycling aquaculture
 system. In: Ryther, J.H. and R. Mann (eds.). Bivalve
 mollusc culture in a waste recycling aquaculture system.
 Woods Hole, MA: Woods Hole Oceanographic Institution
 Technical Report No. WHOI-77-59. 11 pp. (Also cited as
 Woods Hole Oceanographic Institution Sea Grant Publication
 No. WHOI-T-77-004: 1-10.)
- 304. Mann, R. and R.E. Taylor, Jr. 1981. Growth of the bay scallop,

 Argopecten irradians, in a waste recycling aquaculture

 system. Aquaculture 24(1-2): 45-52. (Also cited as Woods
 Hole Oceanographic Institution Contribution No. 4677.)
- 305. Marsh, M.E. and R.L. Sass. 1981. Matrix-mineral relationships in the scallop hinge ligament. Journal of Ultrastructure Research 76(1): 57-70.
- 306. Marshall, N. 1947. An abundance of bay scallops in the absence of eelgrass. Ecology 28(3): 321-322.
- 307. Marshall, N. 1956. Studies of the Niantic River, Connecticut with special reference to the bay scallop, <u>Pecten irradians</u>. Report to the Waterford-East Lyme (CT) Escallop Commission. 37 pp., 2 appendices.
- 308. Marshall, N. 1960. Studies of the Niantic River, Connecticut with special reference to the bay scallop, Aequipecten irradians. Limnology and Oceanography 5(1): 86-105. (Also cited as University of Rhode Island, Narragansett Marine Laboratory Contribution No. 26.)
- 309. Marshall, N. 1963. Mortality rates and the life span of the bay scallop, <u>Aequipecten irradians</u>. Proceedings of the National Shellfisheries Association 54: 87-92. (Also cited as University of Rhode Island, Graduate School of Oceanography Contribution.)
- 310. Marshall, N. 1964. Bay scallops as vigorous living filters.
 Maritimes 8(2): 11-13.
- 311. Marshall, N. 1970. Food transfer through the lower trophic levels of the benthic environment. In: Steele, J.H. (ed.).

 Marine food chains. Edinburgh: Oliver & Boyd: 52-66.
- 312. Marshall, N. 1979. The unpredictable bay scallop. Maritimes 23(2): 12-14.
- 313. Marston, S. and W. Lehman. 1974. ADP binding to relaxed scallop myofibrils. Nature (London) 252(5478): 38-39.
- 314. Matthiessen, G.C. 1973. Commercial culture of oysters in New England. Proceedings of the Annual Meeting of the World Mariculture Society 3: 319-323.

- 315. Matthiessen, G.C. and R.C. Toner. 1966. Possible methods of improving the shellfish industry of Martha's Vineyard Duke's County, Massachusetts. Edgartown, MA: Marine Research Foundation, Inc. 138 pp.
- 316.* Matthiessen, G.C. and R.C. Toner. 1974. A study of the marine resources of Barnstable County, Massachusetts. Edgartown, MA: Marine Research Foundation, Inc. 114 pp.
- 317. McClintock, J.B. 1983. Escape response of Argopecten irradians (Mollusca:Bivalvia) to Luidia clathrata and Echinaster sp. (Echinodermata:Asteroidea). Florida Scientist 46(2): 95-100.
- 318. McHugh, J.L. 1972. Marine fisheries of New York State. Fishery Bulletin 70(3): 585-610.
- 319. McHugh, J.L. 1977. Fisheries and fishery resources of New York Bight. Washington, DC: U.S. Dept. Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service Technical Report NMFS Circular 401. 50 pp.
- 320. McReynolds, J.S. and A.L.F. Gorman. 1970a. Photoreceptor potentials of opposite polarity in the eye of the scallop, Pecten irradians. Journal of General Physiology 56(3): 376-391.
- 321. McReynolds, J.S. and A.L.F. Gorman. 1970b. Membrane conductances and spectral sensitivities of Pecten photoreceptors. Journal of General Physiology 56(3): 392-406.
- 322. McReynolds, J.S. and A.L.F. Gorman. 1974. Ionic basis of hyper-polarizing receptor potential in scallop eye: increase in permeability to potassium ions. Science (Washington, DC) 183(4125): 658-659.
- 323. Mellon, DeF. 1968. Junctional physiology and motor nerve distribution in the fast adductor muscle of the scallop. Science (Washington, DC) 160(3831): 1018-1020.
- 324. Mellon, DeF., Jr. 1969. The reflex control of rhythmic motor output during swimming in the scallop. Zeitschrift fuer Vergleichende Physiologie 62(3): 318-336.
- 325. Mendelsohn, J.M., L.J. Ronsivalli, F.J. King, J.H. Carver, R.J. Learson, B.W. Spracklin and E.M. Kenyon. 1969. Opening oysters and other bivalves using microwave energy. Fishery Industrial Research 4(7): 241-248.
- 326. Menzel, R.W. 1956. Checklist of the marine fauna and flora of the St. George's Sound area. Tallahassee, FL: Florida State University, Oceanographic Institute Contribution No. 61. 134 pp.

- 327. Mercaldo, R.S. and E.W. Rhodes. 1982. Influence of reduced salinity on the Atlantic bay scallop <u>Argopecten irradians</u> (Lamarck) at various temperatures. Journal of Shellfish Research 2(2): 177-181.
- 328. Merrill, A.S. and H.S. Tubiash. 1970. Molluscan resources of the Atlantic and Gulf coast of the United States. <u>In:</u>
 Proceedings of the symposium on mollusca, pt. 3; Jan. 12-16, 1968; Cochin, India. Cochin, India: Marine Biological Association of India: 925-948 + 5 plates.
- 329. Middleton, K. 1983a. Bay scallop seed-release program could increase native stock levels. National Fisherman 63(11): 26-27.
- 330. Middleton, K.C. 1983b. Bay scallops: a mariculture species whose time has come. Aquaculture Magazine 9(6): 16-20.
- 331. Miller, M.M. 1973a. Shellfish situation and outlook.
 Washington, DC: U.S. Dept. Commerce Current Economic Analysis
 No. S-26. 51 pp.
- 332. Miller, M.M. 1973b. Shellfish market review and outlook.
 Washington, DC: U.S. Dept. Commerce Current Economic Analysis
 No. S-27. 66 pp.
- 333. Miller, M.M. 1973c. Shellfish market review and outlook.
 Washington, DC: U.S. Dept. Commerce Current Economic Analysis
 No. S-28. 31 pp.
- 334. Miller, M.M. 1974a. Shellfish market review and outlook.
 Washington, DC: U.S. Dept. Commerce Current Economic Analysis
 No. S-29. 53 pp.
- 335. Miller, M.M. 1974b. Shellfish market review and outlook.

 Washington, DC: U.S. Dept. Commerce Current Economic Analysis
 No. S-30. 47 pp.
- 336. Miller, M.M. 1974c. Shellfish market review and outlook. Washington, DC: U.S. Dept. Commerce Current Economic Analysis No. S-31. 46 pp.
- 337. Miller, W.H. 1958. Derivatives of cilia in the distal sense cells of the retina of Pecten. Journal of Biophysical and Biochemical Cytology 4(2): 227-228.
- 338. Mongiello, J.R. 1976. A study of factors influencing swimming responses of the scallop <u>Aquipecten irradians</u> in the presence of the predatory sea star <u>Asterias forbesi</u>. Bios 47(3): 99-109.
- 339. Moore, J.K. 1966. Biodeposition by the bay scallop, <u>Aequipecten irradians</u>. Kingston, RI: University of Rhode Island. 93 pp. Dissertation.

- 340. Moore, J.K. and N. Marshall. 1967a. The retention of lamellibranch larvae in the Niantic estuary. The Veliger 10(1): 10-12.
- 341. Moore, J.K. and N. Marshall. 1967b. An analysis of the movements of the bay scallop, <u>Aequipecten irradians</u>, in a shallow estuary. Proceedings of the National Shellfisheries Association 57: 77-82.
- 342. Morgan, D.E., J. Goodsell, G.C. Matthiessen, J. Garey and
 P. Jacobson. 1980. Release of hatchery-reared bay scallops
 (Argopecten irradians) onto a shallow coastal bottom in
 Waterford, Connecticut. Proceedings of the Annual Meeting of
 the World Mariculture Society 11: 247-261.
- 343. Morrison, C. and G. Shum. 1982. Chlamydia-like organisms in the digestive diverticula of the bay scallop, Argopecten irradians (Lmk). Journal of Fish Diseases 5(3): 173-184.
- 344. Morrison, C. and G. Shum. 1983. Rickettsias in the kidney of the bay scallop, Argopecten irradians (Lamarck). Journal of Fish Diseases 6(6): 537-541.
- 345. Morse, M.P., W.E. Robinson, W.E. Wehling and S. Libby. 1981. A problem of giant seed: a preliminary study of the bay scallop Argopecten irradians in Pleasant Bay, Cape Cod. Journal of Shellfish Research 1(1): 119-120 (abstract).
- 346. Mottet, M.G. 1979. A review of the fishery biology and culture of scallops. Olympia, WA: Washington State Dept. of Fisheries Technical Report No. 39. 100 pp.
- 347. Nachmias, V.T. 1981. Hybrids of Physarum myosin light chains and desensitized scallop myofibrils. Journal of Cell Biology 90(2): 408-414.
- 348. Nelson, D.A., A. Calabrese and J.R. MacInnes. 1977. Mercury stress on juvenile bay scallops, <u>Argopecten irradians</u>, under various salinity-temperature regimes. Marine Biology 43(4): 293-297.
- 349. Nelson, D.A., A. Calabrese, B.A. Nelson, J.R. MacInnes and D.R. Wenzloff. 1976. Biological effects of heavy metals on juvenile bay scallops, <u>Argopecten irradians</u>, in short-term exposures. Bulletin of Environmental Contamination and Toxicology 16(3): 275-282.
- 350. Nunzi, M.G. and C. Franzini-Armstrong. 1981. The structure of smooth and striated portions of the adductor muscle of the valves in a scallop. Journal of Ultrastructure Research 76(2): 134-148.
- 351. Olson, G.E. and J.B. Rattner. 1975. Observations on the substructure of ciliary rootlets. Journal of Ultrastructure Research 51(3): 409-417.

- 352. Ordzie, C.J. and G.C. Garofalo. 1980a. Behavioral recognition of molluscan and echinoderm predators by the bay scallop,

 Argopecten irradians (Lamarck) at two temperatures. Journal of Experimental Marine Biology and Ecology 43(1): 29-37.

 (Also cited as Rhode Island Agricultural Experiment Station Contribution No. 1897.)
- 353. Ordzie, C.J. and G.C. Garofalo. 1980b. Predation, attack success, and attraction to the bay scallop, <u>Argopecten irradians</u> (Lamarck) by the oyster drill, <u>Urosalpinx cinerea</u> (Say). Journal of Experimental Marine Biology and Ecology 47(1): 95-100.
- 354. Ordzie, C.J. and G.C. Garofalo. 1981. Lethal and sublethal effects of short term acute doses of Kuwait crude oil and a dispersant Corexit 9527 on bay scallops, Argopecten irradians (Lamarck) and two predators at different temperatures.

 Marine Environmental Research 5(3): 195-210.
- 355. Outten, L.M. 1959. Observations on the spawning and early development of the common scallop, <u>Pecten irradians</u>.

 Journal of the Elisha Mitchell Scientific Society 75: 73 (abstract).
- 356.* Palmer, R.E. 1980a. Behavioral and rhythmic aspects of filtration in the bay scallop, Argopecten irradians concentricus (Say), and the oyster, Crassostrea virginica (Gmelin).

 Newark, DE: University of Delaware. 119 pp. Dissertation.
- 357. Palmer, R.E. 1980b. Observations on shell deformities, ultrastructure, and increment formation in the bay scallop

 <u>Argopecten irradians</u>. Marine Biology 58(1): 15-23.
- 358. Palmer, R.E. 1980c. Behavioral and rhythmic aspects of filtration in the bay scallop, <u>Argopecten irradians concentricus</u> (Say), and the oyster, <u>Crassostrea virginica</u> (Gmelin).

 Journal of Experimental Marine Biology and Ecology 45(2-3): 273-295. (Also cited as University of Delaware, College of Marine Studies Contribution No. 143.)
- 359. Palmer, R.E. and L.G. Williams. 1980. Effect of particle concentration on filtration efficiency of the bay scallop Argopecten irradians and the oyster Crassostrea virginica.

 Ophelia 19(2): 163-174.
- 360. Parker, R.H. 1956. Macro-invertebrate assemblages as indicators of sedimentary environments in east Mississippi delta region. Bulletin of the American Association of Petroleum Geologists 40(2): 295-376, 32 figs., 8 pls. (Also cited as Scripps Institution of Oceanography Contribution No. 840.)

- 361. Parker, R.H. 1960. Ecology and distributional patterns of marine macro-invertebrates, northern Gulf of Mexico. In: Shepard, F.P., F.B. Phleger and T.H. van Andel (eds.). Recent sediments, northwest Gulf of Mexico: a symposium summarizing the results of work carried on in Project 51 of the American Petroleum Institute, 1951-1958. Tulsa, OK: American Association of Petroleum Geologists: 302-337.
- 362. Parker, R.H. 1975. The study of benthic communities: a model and a review. Amsterdam: Elsevier Scientific Publishing Co., Oceanography Series No. 9.
- 363.* Pearse, A.S. 1936. Estuarine animals of Beaufort, North Carolina. Journal of the Elisha Mitchell Scientific Society 52: 174-222.
- 364. Peirson, W.M. 1983a. Physiological and biochemical factors influencing the nutritional value of phytoplankton as food for the bay scallop, <u>Argopecten irradians concentricus</u> (Say). Raleigh, NC: North Carolina State University. 98 pp. Dissertation.
- 365. Peirson, W.M. 1983b. Utilization of eight algal species by the bay scallop, <u>Argopecten irradians concentricus</u> (Say).

 Journal of Experimental Marine Biology and Ecology 68(1): 1-11.
- 366. Pendleton, J.A. 1963a. Antigen relationships of scallops.

 Kingston, RI: University of Rhode Island. 29 pp. Thesis.
- 367. Pendleton, J.A. 1963b. Serological studies on the bay scallop,

 Aequipecten irradians. Proceedings of the National Shellfisheries Association 54: 93-100. (Also cited as University
 of Rhode Island, Graduate School of Oceanography
 Contribution.)
- 368. Pesch, G.G. and N.E. Stewart. 1980. Cadmium toxicity to three species of estuarine invertebrates. Marine Environmental Research 3(2): 145-156.
- 369. Pesch, G., N. Stewart and C. Pesch. 1979. Copper toxicity to the bay scallop (Argopecten irradians). Bulletin of Environmental Contamination and Toxicology 23(6): 759-765.
- 370. Peters, J.A. 1977. Scallops: processing on land and sea. <u>In:</u>
 Hess, W.R., Jr. (ed.). Proceedings of the interstate seafood seminar; Oct. 4-7, 1977; Virginia Polytechnic Institute and State University, Blacksburg, VA. Blacksburg, VA: Virginia Polytechnic Institute and State University: 246-251. (Also cited as Virginia Polytechnic Institute Sea Grant Publication No. VPI-W-77-002.)
- 371. Peters, J.A. 1978. Scallops and their utilization. Marine Fisheries Review 40(11): 1-9. (MFR Paper 1352).

- 372. Peterson, C.H., W.G. Ambrose, Jr. and J.H. Hunt. 1982. A field test of the swimming response of the bay scallop (Argopecten irradians) to changing biological factors. Bulletin of Marine Science 32(4): 939-944.
- 373. Philpott, D.E., M. Kahlbrock and A.G. Szent-Györgyi. 1960. Filamentous organization of molluscan muscles. Journal of Ultrastructure Research 3(3): 254-269.
- 374. Pileggi, J. and B.G. Thompson. 1976. Fishery statistics of the United States, 1973. Washington, DC: U.S. Dept. Commerce Statistical Digest No. 67. 458 pp.
- 375. Pileggi, J. and B.G. Thompson. 1979. Fisheries of the United States, 1978. Washington, DC: U.S. Dept. Commerce Current Fishery Statistics No. 7800. 120 pp.
- 376. Pileggi, J. and B.G. Thompson. 1980. Fisheries of the United States, 1979. Washington, DC: U.S. Dept. Commerce Current Fishery Statistics No. 8000. 131 pp.
- 377. Pileggi, J. and B.G. Thompson (preparers); T.I. Bell and D.S. Fitzgibbon (editors). 1978. Fishery statistics of the United States, 1975. Washington, DC: U.S. Dept. Commerce Statistical Digest No. 69. 418 pp.
- 378. Pileggi, J. and B.G. Thompson (preparers); T.I. Bell and D.S. Fitzgibbon (editors). 1980. Fishery statistics of the United States, 1976. Washington, DC: U.S. Dept. Commerce Statistical Digest No. 70. 419 pp.
- 379. Plaine, H.L. 1952. A variation in the distribution of a spionid polychaete in the Woods Hole region. Ecology 33(1): 121-123.
- 380. Porter, H.J. 1974. The North Carolina marine and estuarine mollusca--an atlas of occurrence. Morehead City, NC:
 University of North Carolina, Institute of Marine Science Sea Grant Reprint No. 47. 351 pp.
- 381. Porter, H.J. 1976. Spiral cord variation of <u>Odostomia impressa</u> (Say) and <u>O. seminuda</u> (C.B. Adams) family <u>Pyramidellidae</u>. Bulletin of the American Malacological Union 42: 38-41.
- 382. Porter, H.J. and J. Tyler. 1971. Sea shells common to North Carolina. Raleigh, NC: North Carolina Dept. of Natural Economic Resources, Information Series Booklet No. 2. 36 pp. (Also cited as North Carolina State University Sea Grant Publication No. UNC-SG-72-09.)
- 383. Power, E.A. 1958. Fishery statistics of the United States, 1956. Washington, DC: U.S. Dept. Interior Statistical Digest No. 43. 476 pp.

- 384. Power, E.A. 1959. Fishery statistics of the United States, 1957. Washington, DC: U.S. Dept. Interior Statistical Digest No. 44. 429 pp.
- 385. Power, E.A. 1960. Fishery statistics of the United States, 1958. Washington, DC: U.S. Dept. Interior Statistical Digest No. 49. 424 pp.
- 386. Power, E.A. 1961. Fishery statistics of the United States, 1959. Washington, DC: U.S. Dept. Interior Statistical Digest No. 51. 457 pp.
- 387. Power, E.A. 1962. Fishery statistics of the United States, 1960. Washington, DC: U.S. Dept. Interior Statistical Digest No. 53. 529 pp.
- 388. Power, E.A. 1963. Fishery statistics of the United States, 1961. Washington, DC: U.S. Dept. Interior Statistical Digest No. 54. 460 pp.
- 389. Power, E.A. and C.H. Lyles. 1964. Fishery statistics of the United States, 1962. Washington, DC: U.S. Dept. Interior Statistical Digest No. 56. 466 pp.
- 390. Pratt, H.W. 1979. Marine animals snare a meal in many ways.

 Maritimes 23(2): 1-4.
- 391. Price, T.J., G.W. Thayer, M.W. LaCroix and G.P. Montgomery.
 1976. The organic content of shells and soft tissues of selected estuarine gastropods and pelecypods. Proceedings of the National Shellfisheries Association 65: 26-31.
- 392. Project Oceanology. 1981. Environmental factors which affect the size, and geographical distribution of Aequipecten irradians in the Niantic and Poquonock River estuaries.

 Report prepared under joint NSF-SSTP grant. 60 pp.
- 393. Pulley, T.B. 1952. A zoogeographic study based on the bivalves of the Gulf of Mexico. Boston, MA: Harvard University. 215 pp. Thesis.
- 394. Purchon, R.D. 1977. The biology of the Mollusca. 2d ed. Oxford: Pergamon Press.
- 395. Rapport, M.M. and N.F. Alonzo. 1960. The structure of plasmalogens: V. Lipids of marine invertebrates. Journal of Biological Chemistry 235(7): 1953-1956.
- 396. Read, K.R.H. 1964. Ecology and environmental physiology of some Puerto Rican bivalve molluscs and a comparison with boreal forms. Caribbean Journal of Science 4(4): 459-465.
- 397. Reed, C. and M.J. Greenberg. 1976. Scanning electron microscopy of junctional cilia in scallop gills. American Zoologist 16(2): 183 (abstract No. 29).

- 398. Reed-Miller, C. and M.J. Greenberg. 1982. The ciliary junctions of scallop gills: the effects of cytochalasins and concanavalin A. Biological Bulletin (Woods Hole) 163(1): 225-239.
- 399. Rehder, H.A. 1981. The Audubon Society field guide to North American seashells. New York: Alfred A. Knopf.
- 400. Rhodes, E.W. 1986. Aquaculture prospects for bay scallops.

 Connecticut Currents, Winter-Spring: 1.
- 401. Rhodes, E.W. and R. Goldberg. 1978. The use of pumped raceway systems for the intermediate grow-out of hatchery reared bivalves. Proceedings of the National Shellfisheries Association 68: 85 (abstract).
- 402. Rhodes, E.W., R. Goldberg and J.C. Widman. 1981. The role of raceways in mariculture systems for the bay scallop,

 Argopecten irradians irradians, and the surf clam,

 Spisula solidissima. In: Claus, C., N. de Pauw and

 E. Jaspers (eds.). Nursery culturing of bivalve molluscs: proceedings of a workshop; Feb. 24-26, 1981; Ghent, Belgium: 227-251. Bredenne, Belgium: European Mariculture Society Special Publication No. 7; 394 pp.
- 403. Rhodes, E.W. and J.C. Widman. 1980. Some aspects of the controlled production of the bay scallop (Argopecten irradians). Proceedings of the World Mariculture Society 11: 235-246.
- 404. Rhodes, E.W. and J.C. Widman. 1984a. Suspension culture methods for the bay scallop, <u>Argopecten irradians irradians</u>. Proceedings of the National Shellfisheries Association 76: 17 (abstract).
- 405. Rhodes, E.W. and J.C Widman. 1984b. Density-dependent growth of the bay scallop, Argopecten irradians irradians, in suspension culture. Charlottenlund, Denmark: International Council for the Exploration of the Sea, C.M.1984/K:18. 8 pp.
- 406. Rhodes, E.W. and J.C. Widman. 1984c. Bay scallop research at the Milford Laboratory, Northeast Fisheries Center. <u>In</u>:
 Capuzzo, J. (ed.). Bay scallop fishery: problems and management: proceedings of a workshop; Oct. 28, 1983; Woods Hole Oceanographic Institution, Woods Hole, MA: 11-12
 (abstract). Woods Hole, MA: Woods Hole Oceanographic Institution Technical Report No. 84-38.
- 407. Rhodes, E.W., J.C. Widman and P. Boyd. 1981. Experimental evaluation of nursery and grow-out methods for the bay scallop, <u>Argopecten irradians</u>. Charlottenlund, Denmark: International Council for the Exploration of the Sea, C.M.1981/F:25. 14 pp.

- 408. Rhodes, E., J. Widman, and P. Boyd. 1982. Bay scallop mariculture--progress and prospects. U.S. Dept. Commerce, NOAA, National Marine Fisheries Services, Northeast Fisheries Center Newsletter, March-April 1982: 1-9.
- 409. Risser, J. 1901. Habits and life-history of the scallop (Pecten irradians). Providence, RI: State of Rhode Island and Providence Plantation Preliminary Report, 31st Annual Report to the Commissioner of Inland Fisheries: 47-55, 13 pls., 1 graph.
- 410. Robert, G. 1978. Biological assessment of the bay scallop (Argopecten irradians) for Maritime waters. Halifax, Nova Scotia: Dept. of Fisheries and Environment, Fisheries and Marine Service Technical Report (Canada) No. 778. 13 pp.
- 411. Roels, O.A., K.C. Haines and J.B. Sunderlin. 1975. The potential yield of artificial upwelling mariculture. In: Persoone, G. and E. Jaspers (eds.). Proceedings of the 10th European symposium on marine biology; Sept. 17-23, 1975; Ostend, Belgium. Bredenne, Belgium: Institute for Marine Scientific Research: 381-390. (Also cited as Lamont-Doherty Geological Observatory Contribution No. 2320 and City University, Institute of Marine and Atmospheric Sciences Contribution No. 71.)
- 412. Russell, H.J., Jr. 1971. A scallop success story. Maritimes 15(1): 12-14.
- 413. Russell, H.J., Jr. 1973. An experimental seed bay scallop stocking of selected Rhode Island waters. Providence, RI: Rhode Island Dept. of Natural Resources, Division of Fish and Wildlife report. 82 pp.
- 414. Sanger, J.W. 1971. Sarcoplasmic reticulum in the cross-striated adductor muscle of the bay scallop, <u>Aequipecten irridians</u>. Zeitschrift fuer Zellforschung und Mikroskopische Anatomie 118(2): 156-161.
- 415. Sanger, J.W. and A.G. Szent-Györgyi. 1964. Band pattern changes in the striated adductor muscle of Pecten irradians. Biological Bulletin (Woods Hole) 127(2): 391 (abstract).
- 416. Sastry, A.N. 1961. Studies on the bay scallop, Aequipecten irradians concentricus Say, in Alligator Harbor, Florida.

 Tallahassee, FL: Florida State University. 118 pp.

 Dissertation.
- 417. Sastry, A.N. 1962. Some morphological and ecological differences in two closely related species of scallops, Aequipecten irradians Lamarck and Aequipecten gibbus Dall from the Gulf of Mexico. The Quarterly Journal of the Florida Academy of Sciences 25(2): 89-95. (Also cited as Florida State University, Oceanographic Institute Contribution No. 189.)

- 418. Sastry, A.N. 1963. Reproduction of the bay scallop, Aequipecten irradians Lamarck: influence of temperature on maturation and spawning. Biological Bulletin (Woods Hole) 125(1): 146-153. (Also cited as Florida State University, Oceanographic Institute Contribution No. 198.)
- 419. Sastry, A.N. 1965. The development and external morphology of pelagic larval and post-larval stages of the bay scallop,

 Aequipecten irradians concentricus Say, reared in the laboratory. Bulletin of Marine Science 15(2): 417-435.

 (Also cited as Florida State University, Oceanographic Institute Contribution No. 205.)
- 420. Sastry, A.N. 1966a. Temperature effects in reproduction of the bay scallop, <u>Aequipecten irradians</u> Lamarck. Biological Bulletin (Woods Hole) 130(1): 118-134.
- 421. Sastry, A.N. 1966b. Variation in reproduction of latitudinally separated populations of two marine invertebrates. American Zoologist 6(1): 325-326 (abstract No. 149).
- 422. Sastry, A.N. 1967. On the geographic variation in a marine bivalve mollusc, <u>Aequipecten irradians</u> Lamarck from the Atlantic coast of North America. Advance Abstracts of Contributions on Fisheries and Aquatic Sciences in India 1(4): 43-44 (abstract No. 46).
- 423. Sastry, A.N. 1968a. The relationships among food, temperature, and gonad development of the bay scallops Aequipecten irradians Lamarck. Physiological Zoology 41(1): 44-53.
- 424. Sastry, A.N. 1968b. Environmental physiology of invertebrates.

 In: The Sea Grant Program at the University of Rhode Island,
 annual report for calendar year 1968. Kingston, RI:
 University of Rhode Island Sea Grant Publication No. RIU-Q68-001: 10-13. (Also cited as University of Rhode Island Sea
 Grant Publication No. RIU-Q-68-018.)
- 425. Sastry, A.N. 1969. Culture of marine invertebrates under controlled conditions. In: The Sea Grant Program at the University of Rhode Island, annual report for calendar year 1969, vol. 2. Kingston, RI: University of Rhode Island Sea Grant Publication No. RIU-Q-69-001: 51-55. (Also cited as University of Rhode Island Sea Grant Publication No. RIU-Z-69-013: 59-62.)
- 426. Sastry, A.N. 1970a. Reproductive physiological variation in latitudinally separated populations of the bay scallop,

 Aequipecten irradians Lamarck. Biological Bulletin

 (Woods Hole) 138(1): 56-65.
- 427. Sastry, A.N. 1970b. Environmental regulation of oocyte growth in the bay scallop Aequipecten irradians Lamarck. Experientia 26(12): 1371-1372.

- 428. Sastry, A.N. 1975. Physiology and ecology of reproduction in marine invertebrates. <u>In</u>: Vernberg, F.J. (ed.). Physiological ecology of estuarine organisms. Columbia, SC: University of South Carolina Press, Belle W. Baruch Library in Marine Science No. 3: 279-299.
- 429. Sastry, A.N. 1979. Pelecypoda (excluding Ostreidae). In:
 Giese, A.C. and J.S. Pearse (eds.). Reproduction of
 marine invertebrates. New York: Academic Press: 113-292.
 (Giese, A.C.; Pearse, J.S.; Reproduction of marine invertebrates; chapt. 5).
- 430. Sastry, A.N. and N.J. Blake. 1971. Regulation of gonad development in the bay scallop, <u>Aequipecten irradians</u> Lamarck. Biological Bulletin (Woods Hole) 140(2): 274-283. (Also cited as University of Rhode Island Sea Grant Publication No. RIU-R-71-003.)
- 431. Sastry, A.N. and R. W. Menzel. 1962. Influence of hosts on the behavior of the commensal crab <u>Pinnotheres maculatus</u> Say. Biological Bulletin (Woods Hole) 123(2): 388-395. (Also cited as Florida State University, Oceanographic Institute Contribution No. 181.)
- 432. Sastry, A.N., H.M. Rines and J.G. Jones. 1982. Food requirements for artificial conditioning of the bay scallop

 Argopecten irradians Lamarck to maturity. Final report
 to U.S. Dept. Commerce, National Marine Fisheries Service,
 Milford, CT. 41 pp.
- 433. Schelske, C.L. 1973. Fallout ⁵⁴Mn accumulated by bay scallops

 Argopecten irradians (Lamarck) near Beaufort, North Carolina.

 In: Radioactive contamination of the marine environment:
 proceedings of a symposium on the interaction of radioactive contaminants with the constituents of the marine environment;
 July 10-14, 1972; Seattle, WA. Vienna, Austria:
 International Atomic Energy Agency, Report No. IAEA-SM-P158/20: 331-346. (Also cited as University of Michigan,
 Great Lakes Research Division Contribution No. 155.)
- 434. Schwind, P. 1981. The blue-eyed scallop. <u>In: Sargent, W.</u> (Sargent, Francis W., Jr.). Shallow waters: a year on Cape Cod's Pleasant Bay. Boston: Houghton-Mifflin Co.: 100-105.
- 435. Sellers, J.R., P.D. Chantler and A.G. Szent-Györgyi. 1980.

 Hybrid formation between scallop myofibrils and foreign regulatory light-chains. Journal of Molecular Biology 144(2): 223-245.

- 436. Shaw, W.N. 1974. Aquaculture of molluscs along the United States Atlantic and Gulf coasts. <u>In</u>: Shaw, W.N. (ed.). Proceedings of the First U.S.-Japan meeting on aquaculture; Oct. 18-19, 1971; Tokyo, Japan. Washington, DC: U.S. Dept. Commerce, NOAA Technical Report NMFS CIRC-388: 57-65.
- 437. Sidwell, V.D., J.C. Bonnet and E.G. Zook. 1973. Chemical and nutritive values of several fresh and canned finfish, crustaceans, and mollusks: I. Proximate composition, calcium, and phosphorus. Marine Fisheries Review 35(12): 16-19. (MFR Paper 1022).
- 438. Sidwell, V.D., P.R. Foncannon, N.S. Moore and J.C. Bonnet. 1974. Composition of the edible portion of raw (fresh or frozen) crustaceans, finfish, and mollusks: I. Protein, fat, moisture, ash, carbohydrate, energy value, and cholesterol. Marine Fisheries Review 36(3): 21-35. (MFR Paper 1043).
- 439. Sisson, J.D. 1981. Variability in growth of juvenile bay scallops (seed) at selected areas of Nantucket harbor, Nantucket Massachusetts. <u>In</u>: Kelley, K.M. (ed.). The Nantucket bay scallop fishery: the resource and its management. Nantucket, MA: Shellfish and Marine Dept.: 50-68.
- 440. Sisson, R.T. 1970. Occurrence of bay scallop seed in Rhode Island, 1970. Providence, RI: Rhode Island Dept. of Natural Resources, Division of Fish and Wildlife Information Leaflet No. 32. 4 pp.
- 441. Smith, G.S. 1972. Cape Cod towns attuned to call of Aphrodite's graceful vessel. National Fisherman 72(2): 1-C, 23-C.
- 442. Smith, M. 1941. East coast marine shells: descriptions of shore mollusks together with many living below tide mark, from Maine to Texas inclusive, especially Florida. Ann Arbor, MI: Edwards Brothers, Inc., 2d printing.
- 443. Smith, R.I. (compiler). 1964. Keys to marine invertebrates of the Woods Hole region. Woods Hole, MA: Marine Biological Laboratory Contribution No. 11.
- 444.* Sommers, W., E. Zuraw, D. Leone and R. Benoit. 1969. Program plan for management of shellfisheries resources of the Niantic River. Groton, CT: General Dynamics, Electric Boat Division Report No. U-413-69-058. 19 pp.
- 445. Souza, G. 1984. Unusual scallop mortality in West Falmouth harbor. In: Capuzzo, J. (ed.). Bay scallop fishery: problems and management: proceedings of a workshop; Oct. 28, 1983; Woods Hole Oceanographic Institution, Woods Hole, MA: 13 (abstract). Woods Hole, MA: Woods Hole Oceanographic Institution Technical Report No. 84-38.

- 446. Spagnolia, T. and L.A. Wilkens. 1979. Ultrastructure of the lateral lobe of the scallop parietovisceral ganglion.

 American Zoologist 19(3): 960 (abstract No. 541).
- 447. Spagnolia, T. and L.A. Wilkens. 1983. Neurobiology of the scallop: II. Structure of the parietovisceral ganglion lateral lobes in relation to afferent projections from the mantle eyes. Marine Behaviour and Physiology 10(1): 23-55.
- 448.* Spitsbergen, D.L. 1977a. A study of the bay scallop (Argopecten irradians) in North Carolina waters. Morehead City, NC:

 North Carolina Dept. of Natural Resources and Community
 Development, Annual Progress Report on Project No. 2-256-R-1 to U.S. Dept. Commerce. 27 pp.
- 449. Spitsbergen, D.L. 1977b. A study of the bay scallop (Argopecten irradians) in North Carolina waters. Morehead City, NC:

 North Carolina Dept. of Natural Resources and Community
 Development, Annual Progress Report on Project No. 2-256-R-2 to U.S. Dept. Commerce. 22 pp.
- 450. Sprague, V. 1970. Some protozoan parasites and hyperparasites in marine bivalve molluscs. <u>In</u>: Snieszko, S.F. (ed.). A symposium on diseases of fish and shellfishes. Washington, DC: American Fisheries Society Special Publication No. 5: 511-526. (Also cited as University of Maryland, Natural Resources Institute Contribution No. 414.)
- 451. Stafford, W.F., III and A.G. Szent-Györgyi. 1978. Physical characterization of myosin light chains. Biochemistry 17(4): 607-614.
- 452. Stafford, W.F., III, E.M. Szentkiralyi and A.G. Szent-Györgyi.
 1979. Regulatory properties of single-headed fragments of scallop myosin. Biochemistry 18(24): 5273-5280.
- 453. Stanley, S.M. 1973. Effects of competition on rates of evolution, with special reference to bivalve mollusks and mammals. Systematic Zoology 22(4): 486-506.
- 454. Stauffer, R.C. 1937. Changes in the invertebrate community of a lagoon after disappearance of the eel grass. Ecology 18(3): 427-431. (Also cited as Woods Hole Oceanographic Institution Contribution No. 134.)
- 455. Stephens, G.C. and R.A. Schinske. 1961. Uptake of amino acids by marine invertebrates. Limnology and Oceanography 6(2): 175-181.
- 456. Stephens, P.J. 1978. The sensitivity and control of the scallop mantle edge. Journal of Experimental Biology 75: 203-221.

- 457. Stephens, R.E. 1964. Ultraviolet microbeam studies of contraction in invertebrate striated muscles. Biological Bulletin (Woods Hole) 127(2): 391-392 (abstract).
- 458. Stephens, R.E. 1970. On the apparent homology of actin and tubulin. Science (Washington, DC) 168(3933): 845-847.
- 459. Stephens, R.E. 1975a. The basal apparatus: mass isolation from the molluscan ciliated gill epithelium and a preliminary characterization of striated rootlets. Journal of Cell Biology 64(2): 408-420.
- 460. Stephens, R.E. 1975b. Evidence for tubulin in ciliary but not flagellar membranes. Journal of Cell Biology 67(2, pt. 2): 418a (abstract No. 836).
- 461. Stephens, R.E. 1976. Biochemical aspects of microtubule structure. <u>In</u>: Perry, S.V., A. Margreth and R.S. Adelstain (eds.). Contractile systems in non-muscle tissues: proceedings of the international symposium; Sept. 19-22, 1976; Bressanone, Italy. Amsterdam: Elsevier/North Holland Biomedical Press: 241-254.
- 462. Stephens, R.E. 1977. Major membrane protein differences in cilia and flagella: evidence for a membrane-associated tubulin. Biochemistry 16(10): 2047-2058.
- 463.* Stephens, R.E. 1979. Equimolar heterodimers in microtubules. Journal of Cell Biology 83(2, pt. 2): 351a (abstract).
- 464. Stephens, R.E. 1981. Chemical differences distinguish ciliary membrane and axonemal tubulins. Biochemistry 20(16): 4716-4723.
- 465. Stephens, R.E. 1982a. Equimolar heterodimers in microtubules. Journal of Cell Biology 94(2): 263-270.
- 466. Stephens, R.E. 1982b. Reconstitution of ciliary membranes containing tubulin. Journal of Cell Biology 95(2): 352a (abstract No. 17077).
- 467. Stephens, R.E. 1983. Reconstitution of ciliary membranes containing tubulin. Journal of Cell Biology 96(1): 68-75.
- 468. Stephens, R.E. 1985. Evidence for a tubulin-containing lipid-protein structural complex in ciliary membranes. Journal of Cell Biology 100(4): 1082-1090.
- 469. Stephens, R.E. and E.E. Levine. 1970. Some enzymatic properties of axonemes from the cilia of <u>Pecten irradians</u>. Journal of Cell Biology 46(2): 416-421.

- 470. Stephens, R.E. and R.W. Linck. 1969. A comparison of muscle actin and ciliary microtubule protein in the mollusk Pecten irradians. Journal of Molecular Biology 40(3): 497-501.
- 471. Stewart, L.L., P.J. Auster and R. Zajak. 1981. Investigation on the bay scallop, <u>Argopecten irradians</u>, in three eastern Connecticut estuaries, June 1980-May 1981. Final report to the U.S. Dept. Commerce, National Marine Fisheries Service, Milford, CT. 34 pp., 26 tables, 25 figs., 27 pls., 3 appendices.
- 472. Stommel, E., R. Stephens, R. Masure and J. Head. 1981. Specific localization of scallop gill epithelial calmodulin in the ciliary matrix. Biological Bulletin (Woods Hole) 161(2): 310 (abstract).
- 473. Stommel, E.W., R.E. Stephens, H.R. Masure and J.F. Head. 1982a. Specific localization of scallop gill epithelial calmodulin in cilia. Biophysical Journal 37(2): 283A (abstract).
- 474. Stommel, E.W., R.E. Stephens, H.R. Masure and J.F. Head. 1982b. Specific localization of scallop gill epithelial calmodulin in cilia. Journal of Cell Biology 92(3): 622-628.
- 475. Stone, R. and R. Palmer. 1975a. Effects of turbidity on the bay scallop, <u>Argopecten irradians</u>. American Zoologist 15(3): 816 (abstract No. 746). (Also cited as Northeastern University, Marine Science Institute Contribution No. 38.)
- 476.* Stone, R.L. and R.E. Palmer. 1975b. A study of the effects of suspended particulate matter on some marine bottom-dwelling invertebrates. Nahant, MA: Marine Science Institute.
- 477. Sunderlin, J.B. 1976. Growth of shellfish in an artificial upwelling mariculture system. <u>In:</u> Valle, Juan Carlos (ed.). Proceedings of the international symposium on coastal upwelling; Nov. 18-19, 1975; Coquimbo, Chile. Coquimbo, Chile: Universidad del Norte, Centro de Investigaciones Submarinus: 25-42.
- 478. Surdi, R.W. 1972. Shellfish situation and outlook. Washington, DC: U.S. Dept. Commerce Current Economic Analysis No. S-25. 75 pp.
- 479. Surdi, R.W. and D.R. Whitaker. 1970a. Shellfish situation and outlook. Washington, DC: U.S. Dept. Interior Current Economic Analysis No. S-18. 39 pp.
- 480. Surdi, R.W. and D.R. Whitaker. 1970b. Shellfish situation and outlook. Washington, DC: U.S. Dept. Commerce Current Economic Analysis No. S-19. 36 pp.

- 481. Surdi, R.W. and D.R. Whitaker. 1971a. Shellfish situation and outlook: annual review. Washington, DC: U.S. Dept. Commerce Current Economic Analysis No. S-20. 39 pp.
- 482. Surdi, R.W. and D.R. Whitaker. 1971b. Shellfish situation and outlook. Washington, DC: U.S. Dept. Commerce Current Economic Analysis No. S-21. 28 pp.
- 483. Surdi, R.W. and D.R. Whitaker. 1971c. Shellfish situation and outlook. Washington, DC: U.S. Dept. Commerce Current Economic Analysis No. S-22. 39 pp.
- 484. Surdi, R.W. and D.R. Whitaker. 1971d. Shellfish situation and outlook. Washington, DC: U.S. Dept. Commerce Current Economic Analysis No. S-23. 31 pp.
- 485. Swan, W.H. 1979. Polyculture in privately owned tidal basins.

 In: Terry, O.W. and D.M. Chase (eds.). Mariculture in New York State: proceedings of a symposium; Oct. 22, 1977; Southampton College, Southampton, New York. Albany, NY: New York Sea Grant Institute Report No. NYSGI-RP-79-01: 82-85.
- 486. Szent-Györgyi, A.G., C. Cohen and J. Kendrick-Jones. 1971.
 Paramyosin and the filaments of molluscan "catch" muscles:
 II. Native filaments: isolation and characterization.
 Journal of Molecular Biology 56(2): 239-258.
- 487. Szent-Györgyi, A.G., W. Lehman and J. Kendrick-Jones. 1971.

 Actomyosin and regulation in molluscan muscles. Biophysical Society Annual Meeting 15: 234a (abstract No. ThAM-C10).
- 488. Szent-Györgyi, A.G. and R. Niebieski. 1982. Preparation of light chains from scallop myosin. Methods in Enzymology 85(1): 81-84.
- 489. Szent-Györgyi, A.G., E.M. Szentkiralyi and J. Kendrick-Jones. 1973. The light chains of scallop myosin as regulatory subunits. Journal of Molecular Biology 74(2): 179-203.
- 490. Tabarini, C.L. 1982. A partial bibliography of the bay scallop,
 Argopecten irradians Lamarck, 1960-1980. Orono, ME: University of Maine, Sea Grant College Program Report No. RF-MSG-82-5. 14 pp.
- 491. Tabarini, C.L. 1983a. Induced triploidy in the bay scallop

 Argopecten irradians and its effect on growth and gametogenesis. Orono, ME: University of Maine. 37 pp. Thesis.
- 492. Tabarini, C.L. 1983b. Induced triploidy in the bay scallop,
 Argopecten irradians, and its effect on growth and gametogenesis. Aquaculture 42(2): 151-160.

- 493. Tappel, A.L. 1960. Cytochromes of muscles of marine invertebrates. Journal of Cellular and Comparative Physiology 55(2): 111-126.
- 494. Taylor, R.E. 1981. Preliminary investigations of local populations of the bay scallop <u>Argopecten irradians</u> Lamarck in Falmouth, Massachusetts. Journal of Shellfish Research 1(1): 124 (abstract).
- 495. Taylor, R.E. and J.M. Capuzzo. 1983. The reproductive cycle of the bay scallop, <u>Argopecten irradians irradians</u> (Lamarck), in a small coastal embayment on Cape Cod, Massachusetts. Estuaries 6(4): 431-435. (Also cited as Woods Hole Oceanographic Institution Contribution No. 4946.)
- 496. Tenore, K.R. and W.M. Dunstan. 1973. Growth comparisons of oysters, mussels and scallops cultivated on algae grown with artificial medium and treated sewage effluent. Chesapeake Science 14(1): 64-66. (Also cited as Woods Hole Oceanographic Institution Contribution No. 2870.)
- 497. Tettelbach, S.T. 1979. The combined effects of temperature and salinity on embryos and larvae of the northern bay scallop,

 Argopecten irradians irradians (Lamarck). Seattle, WA:

 University of Washington. 74 pp. Thesis.
- 498. Tettelbach, S.T. 1985. Temporal variability of crab predation on northern bay scallops, Argopecten irradians irradians. Estuaries 8(2B): 79A (abstract No. 205).
- 499.* Tettelbach, S.T. 1986. Seasonality of factors responsible for mortality of the northern bay scallop. Journal of Shellfish Research. (In press).
- 500. Tettelbach, S.T., P.J. Auster, E.W. Rhodes and J.C. Widman. 1985.

 A mass mortality of northern bay scallops, <u>Argopecten</u>
 irradians irradians, following a severe spring rainstorm.
 The Veliger 27(4): 381-385. (Also cited as University of Connecticut, Marine Sciences Institute Contribution No. 168.)
- 501.* Tettelbach, S.T. and S.Y. Feng. 1986. Intensity of crab predation on northern bay scallops <u>Argopecten irradians irradians</u>: effects of prey size and predator assemblages on seasonal patterns. Journal of Shellfish Research. (In press).
- 502. Tettelbach, S.T. and E.W. Rhodes. 1981. Combined effects of temperature and salinity on embryos and larvae of the northern bay scallop <u>Argopecten irradians irradians</u>. Marine Biology 63(3): 249-256.
- 503. Thayer, C.W. 1972. Adaptive features of swimming monomyarian bivalves (Mollusca). Forma et Functio 5(1): 1-32.

- 504. Thayer, G.W. and H.H. Stuart. 1974. The bay scallop makes its bed of seagrass. Marine Fisheries Review 36(7): 27-30. (MFR Paper 1073).
- 505. Theroux, R.B. and R.L. Wigley. 1983. Distribution and abundance of east coast bivalve mollusks based on specimens in the National Marine Fisheries Service Woods Hole collection. Washington, DC: U.S Dept. Commerce, NOAA Technical Report NMFS SSRF-768.
- 506. Thomas, F.B. and H.J. Porter. 1978. Water uptake in scallops: methods of analysis and influencing factors. Raleigh, NC: North Carolina Dept. of Natural and Economic Resources, Commissioner of Development Special Scientific Report No. 29. 33 pp.
- 507. Thomas, F.B., W.A.B. Thomson, F.F. Busta and J.B. Moore. 1966. A study of the quality of North Carolina scallops. Raleigh, NC: North Carolina Dept. of Conservation and Development Special Scientific Report No. 10. 26 pp.
- 508. Thompson, B.G. 1974. Fishery statistics of the United States, 1971. Washington, DC: U.S. Dept. Commerce Statistical Digest No. 65. 424 pp.
- 509. Thompson, B.G. 1981. Fisheries of the United States, 1980. Washington, DC: U.S. Dept. Commerce Current Fishery Statistics No. 8100. 132 pp.
- 510. Thompson, B.G. 1982. Fisheries of the United States, 1981. Washington, DC: U.S. Dept. Commerce Current Fishery Statistics No. 8200. 131 pp.
- 511. Thompson, B.G. 1983. Fisheries of the United States, 1982. Washington, DC: U.S. Dept. Commerce Current Fishery Statistics No. 8300. 117 pp.
- 512. Thompson, B.G. 1984a. Fisheries of the United States, 1983. Washington, DC: U.S. Dept. Commerce Current Fishery Statistics No. 8320. 121 pp.
- 513. Thompson, B.G. 1984b. Fishery statistics of the United States, 1977. Washington, DC: U.S. Dept. Commerce Statistical Digest No. 71. 407 pp.
- 514. Thompson, B.G. 1985. Fisheries of the United States, 1984. Washington, DC: U.S. Dept. Commerce Current Fishery Statistics No. 8360. 121 pp.
- 515. Thomson, W.A.B. and F.B. Thomas. 1966. Studies of the quality of the scallop adductor muscle. Raleigh NC: North Carolina Dept. of Conservation and Development Special Scientific Report No. 8. 17 pp.

- 516. Thornhill, D.P. 1971. Abductin: locus and spectral characteristics of a brown, fluorescent chromophore. Biochemistry 10(13): 2644-2649.
- 517.* Toner, R.C. 1974. Food preference and feeding of the bay scallop, <u>Aequipecten irradians</u> Lamarck (1819). Boston, MA: Northeastern University. 100 pp. Dissertation.
- 518.* Toner, R.C. 1975. The culture of phytoplankton for the feeding of the scallop Argopecten irradians irradians Lamarck (1819). Falmouth, MA: Marine Research, Inc. 48 pp.
- 519. Townshend, E.R. 1980. Preliminary tests of an ozone system for the disinfection of seawater effluent from a shellfish quarantine unit. Ozone Science and Engineering 2(1): 5-12.
- 520. Townshend, E.R. and J.M. Worms. 1983. Introduction of a new pectinid species <u>Argopecten irradians irradians</u> to the Gulf of St. Lawrence, Canada. Charlottenlund, Denmark: International Council for the Exploration of the Sea, C.M.1983/K:44. 8 pp., 2 figs.
- 521. Toyo-Oka, T. 1979. Effects of various concentrations of MgATP on the superprecipitation and ATPase activity of scallop striated muscle myosin B. Journal of Biochemistry 85(3): 871-877.
- 522. Trifone, R. 1985. Fascinating to watch, delightful to taste: scallop. Long Island Sound Report 2(2): 7, 10.
- 523. Tubiash, H.S. 1975. Bacterial pathogens associated with cultured bivalve mollusk larvae. <u>In: Smith, W.L. and M.H. Chanley (eds.)</u>. Culture of marine invertebrate animals: proceedings of the conference; Oct., 1972; Greenport, NY. New York: Plenum Press: 61-71.
- 524. Tubiash, H.S. and P.E. Chanley. 1963. Bacterial necrosis of bivalve larvae. Bacteriological Proceedings: 164 (abstract No. RT16).
- 525. Tubiash, H.S., P.E. Chanley and E. Leifson. 1965. Bacillary necrosis, a disease of larval and juvenile bivalve mollusks: I. Etiology and epizootiology. Journal of Bacteriology 90(4): 1036-1044.
- 526. Turner, H.J., Jr. 1953a. Growth of molluscs in tanks. Boston, MA: Commonwealth of Massachusetts Dept. of Natural Resources, Division of Marine Fisheries Sixth Report on Investigations of the Shellfisheries of Massachusetts: 35-38.

- 527. Turner, H.J., Jr. 1953b. A review of the biology of some commercial molluscs of the east coast of North America. Boston, MA: Commonwealth of Massachusetts Dept. of Natural Resources, Division of Marine Fisheries Sixth Report on Investigations of the Shellfisheries of Massachusetts: 39-74.
- 528. Turner, H.J., Jr. 1957. Spawning and fertilization of the eggs of the bay scallop. Boston, MA: Commonwealth of Massachusetts Dept. of Natural Resources, Divison of Marine Fisheries Report on Investigations of the Shellfisheries of Massachusetts for 1957: 15-16. (Also cited as Woods Hole Oceanographic Institution Reference No. 58-40.)
- 529. Turner, H.J., Jr. and J.E. Hanks. 1959. Infestation of Pecten irradians by Polydora. The Nautilus 72(4): 109-111. (Also cited as Woods Hole Oceanographic Institution Contribution No. 1002.)
- 530. Turner, H.J., Jr. and J.E. Hanks. 1960. Experimental stimulation of gametogenesis in <u>Hydroides</u> <u>dianthus</u> and <u>Pecten</u> <u>irradians</u> during the winter. <u>Biological Bulletin</u> (Woods Hole) 119(1): 145-152. (Also cited as Woods Hole Oceanographic Institution Contribution No. 1099.)
- 531. U.S. Dept. of Commerce. 1971. Fishery statistics of the United States, 1968. Washington, DC: U.S. Dept. Commerce Statistical Digest No. 62. 578 pp.
- 532. U.S. Dept. of Commerce. 1972. Shellfish situation and outlook: annual review, 1971. Washington, DC: U.S. Dept. Commerce Current Economic Analysis No. S-24. 60 pp.
- 533. U.S. Dept. Commerce. 1973. Basic economic indicators: scallops, 1930-72. Washington, DC: U.S. Dept. Commerce Current Fisheries Statistics No. 6127. 35 pp.
- 534. U.S. Dept. of Interior. 1966-1969. Shellfish situation and outlook. Washington, DC: U.S. Dept. Interior Current Economic Analyses Nos. S-1 to S-15. Paging variable.
- 535. U.S. Dept. of Interior. 1969. Scallop meat and shell. Washington, DC: U.S. Dept. Interior, National Marketing Services Food Fish Facts No. 21. 2 pp.
- 536. Vale, R.D., A.G. Szent-Gyorgyi and M.P. Sheetz. 1984. Movement of scallop myosin on <u>Nitella</u> actin filaments: regulation by calcium. Proceedings of the National Academy of Sciences 81(21): 6775-6778.
- 537. van Dam, L. 1954. On the respiration in scallops
 (Lamellibranchiata). Biological Bulletin (Woods Hole)
 107(2): 192-202. (Also cited as Woods Hole Oceanographic Institution Contribution No. 705).

- 538. Vernberg, F.J., C. Schlieper and D.E. Schneider. 1963. The influence of temperature and salinity on ciliary activity of excised gill tissue of molluscs from North Carolina. Comparative Biochemistry and Physiology 8: 271-285.
- 539. Verrill, A.E. 1873. Report upon the invertebrate animals of Vineyard Sound and the adjacent waters, with an account of the physical characters of the region. In: Baird, S.F. (ed.). Report on the condition of the sea fisheries of the south coast of New England in 1871 and 1872, pt. 1. Washington, DC: U.S. Commission of Fish and Fisheries: 295-778.
- 540. Verrill, A.E. 1900. A study of the family <u>Pectinidae</u>, with a revision of the genera and subgenera. Transactions Connecticut Academy of Arts and Sciences 1899, 10(1): 41-96, 6 pls.
- 541. Vogel, S. 1985. Flow-assisted shell reopening in swimming scallops. Biological Bulletin (Woods Hole) 169(3): 624-630.
- 542. Volk, J.H. (compiler); P. Provost (ed.). 1986. Connecticut aquaculture: findings and recommendations. Milford, CT: Connecticut State Dept. of Agriculture, Aquaculture Division Report. 26 pp., 3 appendices.
- 543. Wada, K. 1978. Chromosome karyotypes of three bivalves: the oysters, <u>Isognomon alatus</u> and <u>Pinctada imbricata</u>, and the bay scallop, <u>Argopecten irradians irradians</u>.

 Biological Bulletin (Woods Hole) 155(1): 235-245. (Also cited as National Pearl Research Laboratory [Kashikojima, Mie, Japan] Contribution No. 245.)
- 544. Wainwright, S.A. 1969. Stress and design in bivalved mollusc shell. Nature (London) 224(5221): 777-779.
- 545. Wall, J.R. and S.W. Wall. 1979. Population genetics of the bay scallop, <u>Argopecten irradians</u>: I. Geographic variation at the <u>PGI</u> and <u>PGM-1</u> loci. Charlottenlund, Denmark: International Council for the Exploration of the Sea, C.M.1979/F:36. 56 pp.
- 546. Wall, J.R., S.W. Wall and M. Castagna. 1976. Enzymes polymor-phisms and genetic variation in the bay scallop, Argopecten irradians. Genetics 83(3, pt. 1): s81 (abstract).
- 547. Waller, T.R. 1969. The evolution of the Argopecten gibbus stock (Mollusca:Bivalvia), with emphasis on the tertiary and quaternary species of eastern North America. Journal of Paleontology 43(5, supp. 2), Paleontological Society Memoir 3. 125 pp.

- 548. Waller, T.R. 1976. The development of the larval and early postlarval shell of the bay scallop, <u>Argopecten irradians</u>. Bulletin of the American Malacological Union, Inc. 42: 46 (abstract).
- 549. Waller, T.R. 1984. The ctenolium of scallop shells: functional morphology and evolution of a key family-level character in the <u>Pectinacea</u> (Mollusca:Bivalvia). Malacologia 25(1): 203-219.
- 550. Wallimann, T., P.M.D. Hardwicke and A.G. Szent-Györgyi. 1982.

 Regulatory and essential light-chain interactions in scallop myosin: II. Photochemical cross-linking of regulatory and essential light-chains by heterobifunctional reagents.

 Journal of Molecular Biology 156(1): 153-173.
- 551. Wallimann, T. and A.G. Szent-Györgyi. 1981a. An immunological approach to myosin light-chain function in thick filament linked regulation: I. Characterization, specificity, and cross-reactivity of anti-scallop myosin heavy- and light-chain antibodies by competitive, solid-phase radioimmunoassay. Biochemistry 20(5): 1176-1187.
- 552. Wallimann, T. and A.G. Szent-Györgyi. 1981b. An immunological approach to myosin light-chain function in thick filament linked regulation: II. Effects of anti-scallop myosin light-chain antibodies: possible regulatory role for the essential light chain. Biochemistry 20(5): 1188-1197.
- 553. Walsh, D. 1981. Limitations and potentials of bay scallop (Argopecten irradians) culture in New England. Journal of Shellfish Research 1(1): 125-126 (abstract).
- 554. Walsh, D. 1984. Scallop culture in the United States: a great potential that has yet to show its first success. In:
 Capuzzo, J. (ed.). Bay scallop fishery: problems and management: proceedings of a workshop; Oct. 28, 1983; Woods Hole Oceanographic Institution, Woods Hole, MA: 14-15 (abstract).
 Woods Hole, MA: Woods Hole Oceanographic Institution Technical Report No. 84-38.
- 555.* Walsh, D.T., J.L. Madison, L.C. Vanderhoop, J. Jeffers, D. Luce and L. Fisk. 1978. The Wampanoag fisheries project: shell-fish production improvement at Gay Head, Martha's Vineyard, Massachusetts. First Annual Report to U.S. Dept. Commerce, Economic Development Administration, Technical Assistance Grant No. 01-6-01369.
- 556. Walsh, D.T., J.L. Madison, L.C. Vanderhoop, G.L. Cook, J. Jeffers and D. Luce. 1979. The Wampanoag fisheries project: shell-fish production improvement at Gay Head, Martha's Vineyard, Massachusetts. Second Annual Report to U.S. Dept. Commerce, Economic Development Administration, Technical Assistance Grant No. 01-6-01369-1. 60 pp., 3 appendices.

- 557. Ward, J. 1970. Rhode Island would return bay scallops.
 National Fisherman 50(4): 27-A.
- 558.* Wass, M.L. 1963. Check list of the marine invertebrates of Virginia. Gloucester Point, VA: Virginia Institute of Marine Science Special Scientific Report No. 24 (revised). 56 pp.
- 559. Webb, N.B. and F.B. Thomas. 1968a. Quality control and operating manual for the scallop industry. Raleigh, NC: North Carolina Dept. of Conservation and Development, Project Report No. 2-8-R. 21 pp.
- 560. Webb, N.B. and F.B. Thomas. 1968b. A study of the quality of North Carolina scallops: III. An investigation of methods for the improvement of the quality and yield of scallop meat during processing. Raleigh, NC: North Carolina Dept. of Conservation and Development Special Scientific Report No. 16. 83 pp.
- 561. Webb, N.B. and F.B. Thomas. 1968c. A study of the quality of North Carolina scallops. Raleigh, NC: North Carolina Dept. of Conservation and Development, Final Project Report No. 2-8-R. 5 pp.
- 562. Webb, N.B. and F.B. Thomas. 1971. Influence of mechanical processing on the quality and yield of bay scallop meats. Washington, DC: U.S. Dept. Commerce, NOAA Special Scientific Report (Fisheries) No. 624. 11 pp. (Also cited as North Carolina State University Sea Grant Report No. NCU-R-71-006 and North Carolina State University, Agricultural Experiment Station Journal Series Paper No. 2871.)
- 563. Webb, N.B., F.B. Thomas, F.F. Busta and L.S. Kerr. 1972. Evaluation of scallop meat quality by the resazurin reduction technique. Journal of Milk and Food Technology 35(11): 664-668. (Also cited as North Carolina State University Experiment Station Journal Series Paper No. 3452.)
- 564. Webb, N.B., F.B. Thomas, F.F. Busta and R.J. Monroe. 1967.

 A study of the quality of North Carolina scallops. Raleigh,
 NC: North Carolina Dept. of Conservation and Development
 Special Scientific Report No. 12. 58 pp.
- 565. Webb, N.B., F.B. Thomas, F.F. Busta and R.J. Monroe. 1969. Variations in proximate composition of North Carolina scallop meats. Journal of Food Science 34(6): 471-474.
- 566. Webb, N.B., F.B. Thomas, R.E. Carawan and L.S. Kerr. 1969.

 The effects of processing on the quality of scallops, oysters and blue crabs. Raleigh, NC: North Carolina Dept. of Conservation and Development Special Scientific Report No. 19. 25 pp.

- 567. Webber, H.H. and P.F. Riordan. 1976. Criteria for candidate species for aquaculture. Aquaculture 7(2): 107-123.
- 568. Wells, C., K.E. Warriner and C.R. Bagshaw. 1985. Fluorescence studies on the nucleotide- and Ca²⁺-binding domains of molluscan myosin. Biochemical Journal 231(1): 31-38.
- 569. Wells, W.F. 1927. Report of experimental shellfish station.
 Albany, NY: New York State Conservation Commission Annual
 Report No. 16: 113-130.
- 570. Wheeland, H.A. 1972a. Fishery statistics of the United States, 1969. Washington, DC: U.S. Dept. Commerce Statistical Digest No. 63. 474 pp.
- 571. Wheeland, H.A. 1972b. Fishery statistics of the United States, 1970. Washington, DC: U.S. Dept. Commerce Statistical Digest No. 64. 489 pp.
- 572. Wheeland, H.A. 1975. Fishery statistics of the United States, 1972. Washington, DC: U.S. Dept. Commerce Statistical Digest No. 66. 517 pp.
- 573. Wheeler, A.P., P.L. Blackwelder and K.M. Wilbur. 1973. Isotopic measurement of growth in the scallop <u>Argopecten irradians</u>.

 American Zoologist 13(4): 1310 (abstract No. 268).
- 574. Wheeler, A.P., P.L. Blackwelder and K.M. Wilbur. 1975. Shell growth in the scallop <u>Argopecten irradians</u>: I. Isotope incorporation with reference to diurnal growth. Biological Bulletin (Woods Hole) 148(3): 472-482.
- 575. Wheeler, A.P. and K.M. Wilbur. 1977. Shell growth in the scallop Argopecten irradians (Say): II. Processes of shell growth. Journal of Molluscan Studies 43(2): 155-161.
- 576. Whitaker, D.R. and R.W. Surdi. 1970a. Shellfish situation and outlook. Washington, DC: U.S. Dept. Interior Current Economic Analysis No. S-16. 47 pp.
- 577. Whitaker, D.R. and R.W. Surdi. 1970b. Shellfish situation and outlook. Washington, DC: U.S. Dept. Interior Current Economic Analysis No. S-17. 31 pp.
- 578. Wicksten, M.K. 1976. Argopecten irradians (Bivalvia:Pectinidae) in San Francisco Bay, California. The Veliger 18(4): 418 (abstract).
- 579. Widman, J.C., E.W. Rhodes and P.A. Boyd. 1983. Nursery culture of the bay scallop <u>Argopecten irradians irradians</u> (Lamarck) in suspended mesh enclosures. Journal of Shellfish Research 3(1): 104 (abstract).

- 580. Wilbur, K.M. 1964. Shell formation and regeneration. <u>In:</u>
 Wilbur, K.M. and C.M. Yonge (eds.). Physiology of <u>Mollusca.</u>
 London: Academic Press: 243-282. (Wilbur, K.M.; Yonge, C.M.;
 Physiology of Mollusca; vol. 1, chapt. 8).
- 581. Wilkens, L.A. and T. Spagnolia. 1979. Projections of optic fibers in the parietovisceral ganglion of the scallop: a light microscope autoradiographic study. American Zoologist 19(3): 961 (abstract No. 542).
- 582. Winter, J.E. 1977. Suspension-feeding in lamellibranchiate bivalves, with particular reference to aquaculture. Medio Ambiente 3(1): 48-69.
- 583. Winter, J.E. 1978. A review on the knowledge of suspensionfeeding in lamellibranchiate bivalves, with special reference to artificial aquaculture systems. Aquaculture 13(1): 1-33.
- 584. Winter, M.A. 1982. The swimming response of the bay scallop Argopecten irradians. Pensacola, FL: University of West Florida. 49 pp. Thesis.
- 585. Winter, M.A. and P.V. Hamilton. 1985. Factors influencing swimming in bay scallops, <u>Argopecten irradians</u> (Lamarck, 1819).

 Journal of Experimental Marine Biology and Ecology 88(3): 227-242.
- 586. Wise, J.P. and B.G. Thompson (preparers); T.I. Bell and D.S. Fitzgibbon (editors). 1977. Fishery statistics of the United States, 1974. Washington, DC: U.S. Dept. Commerce Statistical Digest No. 68. 424 pp.
- 587. Wolfe, D.A. 1967. Molluscs in radiobiology and radioecology.

 Bulletin of the North Carolina Shell Club 4: 20-23.
- 588. Wolfe, D.A. and T.R. Rice. 1972. Cycling of elements in estuaries. Fishery Bulletin 70(3): 959-972.
- 589. Wrenn, S.L. 1972. Daily increment formation and synchronization in the shell of the bay scallop. American Zoologist 12(3): xxxii (abstract No. 305).
- 590. Wright, D.A., V.S. Kennedy, W.H. Roosenburg, M. Castagna and J.A. Mihursky. 1983. Temperature tolerance of embryos and larvae of five bivalve species under simulated power plant entrainment conditions: a synthesis. Marine Biology 77(3): 271-278. (Also cited as University of Maryland, Center for Environmental and Estuarine Studies Contribution No. 1442.)

- 591. Wright, D.A., W.H. Roosenburg and M. Castagna. 1984. Thermal tolerance in embryos and larvae of the bay scallop Argopecten irradians under simulated power plant entrainment conditions.

 Marine Ecology Progress Series 14(2-3): 269-273. (Also cited as University of Maryland, Center for Evironmental and Estuarine Studies Contribution No. 1448.)
- 592.* Yeater, L.W. 1966. Studies of the ecology of the commensal crab <u>Pinnotheres maculatus</u> Say. Tallahassee, FL: Florida State <u>University.</u> 66 pp. Thesis.
- 593. Zacchea, D. 1975. A study of bay scallop growth during fall, winter and spring in heated salt water, Apr. 1, 1970-Mar. 31, 1974. Albany, NY: New York State Dept. of Environmental Conservation, Division of Marine and Coastal Resources Completion Report No. 3-101-R. 8 pp. + 14 tables.
- 594. Zacchea, D. 1976. Rehabilitation of bay scallop fishery of Long Island, New York. Albany, NY: New York State Dept. of Environmental Conservation, Division of Marine and Coastal Resources Completion Report No. 3-211-R. 5 pp., 21 figs.
- 595. Zaroogian, G.E. and M. Johnson. 1983. Copper accumulation in the bay scallop, <u>Argopecten irradians</u>. Archives of Environmental Contamination and Toxicology 12(2): 127-133.
- 596. Zuraw, E.A. and D.E. Leone. 1971. Status of the Niantic estuary for supporting a scallop fishery. Groton, CT: General Dynamics, Electric Boat Division Report No. U-412-71-078. 61 pp., 1 appendix.

AUTHOR INDEX

Abbott, R. Tucker	1-3
Abreau, Katherine S.	4
Adamkewicz, Laura	256
Adams, C.B.	5
Allee, W.C.	6
Alonzo, Nicholas F.	395
Ambrose, William G., Jr.	372
Anderson, Andrew W.	7-20
Andrews, J.D.	21, 84
Aprill, Glenn H.	29
Ash, Beverly M.	30
Ashiba, Gaku	31
Atema, Jelle	123
Atkins, Daphne	32
Auster, Peter J.	33, 471, 500
Bagshaw, Clive R.	568
Baptist, J.P.	34
Bárány, K.	35
Bárány, M.	35
Barber, Bruce J.	36-40
Barber, Richard T.	254
Bardach, John E.	41
Bayne, B.L.	42
Beattie, H.	291
Beattie, J. Harold	92

Belding, David L.	43-46
Bell, Allen L.	47
Bell, T.I.	377-378, 586
Benoit, R.	444
Biddle, Garfield N.	264
Bier, Jeffrey W.	282
Bito, Laszlo Z.	48
Blackwelder, Patricia L.	573-574
Blake, Norman J.	37-40, 49-51, 128, 430
Blogoslawski, Walter J.	52
Blumer, M.	53
Bonnet, James C.	54, 437-438
Boss, K.J.	55
Boyd, Patricia A.	407-408, 579
Broom, M.J.	56
Burle, Eduardo	57
Burrell, Victor G., Jr.	58
Busta, F.F.	507, 563-565
Cake, Edwin W., Jr.	59-63
Calabrese, Anthony	64, 348-349
Capuzzo, Judith M.	65-68, 192, 495
Carawan, R.E.	566
Carmichael, Neil G.	69-71
Carriker, Melbourne Romaine	72
Carver, Joseph H.	325
Castagna, Michael	73-79, 134, 171, 256-257, 291, 546, 590-591
Castle, William A.	129

Ceely, Martin	233
Chalovich, Joseph M.	80-81
Chanley, Matoira H.	82
Chanley, Paul E.	75, 83-84, 289, 524-525
Chantler, Peter D.	80-81, 85-88, 435
Chapman, S.	291
Cheng, Thomas C.	89-90
Chestnut, A.F.	91, 291
Chew, Kenneth K.	92
Chin, Ching-Ping	93-95
Chipman, Walter A.	96-97
Chu, B.	145
Clark, George R., II	98
Clarke, Arthur H., Jr.	99-102
Claus, Christine	103
Coe, Wesley R.	104-105
Cohen, Carolyn	106, 246, 486
Colby, D.R.	34
Colflesh, D.	145
Colton, Harold S.	107
Cook, George L.	556
Cooper, Richard A.	108
Costello, T.J.	109
Costlow, John D., Jr.	110
Crise, Howard L.	111
Curray, Joseph R.	112
Curtis, Helena	113

D'Agostino, Anthony	114
Dall, William Healey	115-116
Davenport, C.B.	117-119
Davies, Tena J.	120
Davis, Harry C.	288-289
Davis, Harry S.	91
Davis, Roberta L.	121
de Villafranca, G.	280
Dentler, William L.	122
Derby, Charles D.	123
Dewey, Maynard M.	145, 280-281
Dillaman, Richard M.	124-125
Dodd, J. Robert	126-127
Donaldson, James D.	92
Doyle, Larry J.	128
Dreyer, William A.	129
Drinnan, R.E.	102
Driscoll, Egbert G.	130-131
Duggan, William P.	76-79, 132-134
Duke, T.	135
Dunstan, William M.	496
Dupuy, John L.	109
Eidemiller, Anne	136-137
Eisenberg, Evan	80-81
Eisler, R.	138
Elfvin, Myra	280-281
Ellington, W. Ross	94-95

Elston, Ralph	139
Engle, James B.	140
Epifanio, Charles E.	141-142
Estabrooks, Stephen Lee	143-144
Falmagne, C.	291
Fan, SF.	145
FAO (Food and Agriculture Organization)	146
Fay, Clemon W.	147
Feng, S.Y.	501
Ferguson, John C.	148
Ferrell, Margaret	272
Fiedler, R.H.	149-151
Fischler, K.	135
Fisher, Frank M., Jr.	219
Fisher, James R.	195-197, 269
Fisk, L.	555
Fitzgibbon, Donald S.	377-378, 586
Flicker, Paula F.	152
Foehrenbach, Jack	153-154
Foley, David A.	90
Foncannon, Pauline R.	438
Ford, Susan E.	124-125
Fordham, Edwin C.	155
Foster, John M.	156
Fowler, Bruce A.	69-71
Franzini-Armstrong, Clara	350
Fricke, Peter H.	157

Gabbott, P.A.	158
Gaines, A.G., Jr.	159
Galus, Henry S.	160-161
Ganong, W.F.	162-163
Gardner, George R.	164
Garey, J.F.	165, 342
Garofalo, G.C.	352-354
Garten, D.	79
Gates, J.M.	166
Gaucher, Thomas A.	167-168
Gaylinn, B.	145
Ghiretti, F.	169
Gibbons, Euell	170
Gibbons, M.C.	171
Gieg, Charles F., Jr.	234
Giese, A.C.	172
Gillmor, Reginald B.	173-174
Glude, John B.	175
Goldberg, Arnold	176
Goldberg, Ronald	177, 291, 401-402
Goodsell, J.	291, 342
Gorman, Anthony L.F.	178-181, 320-322
Gould, Edith	64
Graham, Robert	182
Grant, Philip W.	273-275
Greenberg, Michael J.	183, 397-398
Greguski, R.A.	145

166
184-185
186-188
189, 411
190
191, 585
216
66, 192
529-530
193
194-197
198-200, 550
201
263
273-275, 472-474
202
138
203
174, 291
204
205
206
97
207
208
119

Hunt, John H.	372
Hyde, Ida H.	209
Ingersoll, Ernest	210
Jablonski, D.	291
Jackson, Robert Tracy	211
Jacobson, P.	342
Jacot, Arthur P.	212
Jeffers, Jeananne	555-556
Johnson, Charles W.	213
Johnson, M.	595
Joint Subcommittee on Aquaculture (Federal Coordinating Council on	
Science, Engineering and Technology)	214
Jones, Jeffrey G.	215-216, 432
Judson, W. Irwin	217
Kahlbrock, Margrit	373
Kahler, George A.	218-219
Karlsson, John D.	220
Karney, Richard C.	221-222, 256, 277-278
Kelley, Kenneth M.	223-238
Kellogg, James L.	239-241
Kellogg, Robert L.	242-243
Kelly, Lloyd	217
Kelly, Robert E.	244
Kemprecos, Paul W.	245
Kendrick-Jones, John	106, 246-249, 486-487, 489
Kennedy, V.S.	291, 590
Kenyon, Ernest M.	325

Kerr, L.S.	563, 566
King, Frederick J.	325
Kirby, Mary	235
Kirby-Smith, William W.	57, 110, 250-254
Kopinski, Edward	255
Kraeuter, John N.	256-257
Kruczynski, William L.	258-261
Kruse, D.N.	262
Krzeczkowski, Richard A.	263
LaCroix, M.W.	391
Lagally, Herta R.	264
Lamarck, J.B.P.A. deM.	265
Lauckner, G.	266
Lavoie, Rene E.	267
Le Pennec, M.	268
Learson, Robert J.	325
Lee, P.C.	269
Lee, Virginia	168
Lehman, William	176, 247, 270-275, 313, 487
Leibovitz, Louis	276-278
Leifson, Einar	525
Leone, Donald E.	279, 444, 596
Levine, E.E.	469
Levine, Rhea J.C.	280-281
Libby, Sandra (sa Macfarlane, S.L.)	345
Lichtenfels, J. Ralph	282
Linck, R.W.	283-286, 470

Linton, Edwin	287
Longley, William	246
Loosanoff, Victor L.	288-289
Luce, Debbie	555-556
Ludel, Jacqueline	290
Lutz, R.	291
Lyles, Charles H.	292-297, 389
Ma, P.F.	269
Macfarlane, Sandra L. (<u>sa</u> Libby, S.)	298
MacInnes, John R.	348-349
Mackie, G.L.	299
MacPherson, Ralph C.	217
Madden, Philip A.	282
Madison, Jeffrey L.	555-556
Mahmood, Ghulam	154
Maine Department of Sea and Shore Fisheries	300
Malone, Philip G.	301
Malouf, R.E.	202
Mangum, Charlotte	302
Mann, Roger	291, 303-304
Marconi, Robert A.	204
Marsh, David J.	85
Marsh, M.E.	305
Marshall, Nelson	108, 121, 306-312, 340-341
Marston, Steven	313
Martin, Stephen R.	85
Masure, H. Robert	472-474

Matthiessen, George C.	166, 314-316, 342
McClintock, James B.	317
McHugh, J.L.	318-319
McLarney, William O.	41
McReynolds, John S.	178-181, 320-322
Medcof, J.C.	102
Mellon, De Forest, Jr.	323-324
Mendelsohn, Joseph M.	325
Menzel, R. Winston	326, 431
Mercaldo, Renee S.	327
Merrill, Arthur S.	55, 328
Middleton, Karenina (Karen) Chandler	329-330
Mihursky, J.A.	590
Miller, Morton M.	331-336
Miller, William H.	337
Mongiello, James R.	338
Monroe, Robert J.	564-565
Montgomery, G.P.	391
Moore, Johnes K.	339-341
Moore, Joyce B.	507
Moore, Nancy S.	438
Morgan, D.E.	342
Morrison, Carol	343-344
Morse, M.P.	345
Mottet, Madelon Green	346
Nachmias, Vivianne T.	347
Nelson, Betty A.	349

Nelson, David A.	348-349
Neves, Richard J.	147
Newell, C.	291
Niebieski, Regina	488
Nunzi, Maria Grazia	350
Olson, G.E.	351
Ordzie, C.J.	352-354
Outten, L.M.	355
Palmer, Robert E.	356-359, 475-476
Pardue, Garland B.	147
Parker, Robert H.	360-362
Pearse, A.S.	363
Pearse, J.S.	172
Pegg, R.K.	191
Peirson, William M.	364-365
Pendleton, Judith A.	366-367
Pesch, C.	369
Pesch, Gerald G.	368-369
Peters, John A.	370-371
Peterson, C.E.	7-9
Peterson, Charles H.	372
Philpott, D.E.	373
Pileggi, Joseph	374-378
Plaine, Henry L.	379
Porter, Hugh J.	380-382, 506
Power, Edward A.	10-20, 383-389
Pratt, Harold Wes	390

Pratt, M.M.	122
Price, T.J.	135, 391
Prieur, D.	268
Project Oceanology	392
Provost, Patricia	542
Pulley, Thomas B.	393
Purchon, R.D.	394
Rapport, Maurice M.	395
Rattner, J.B.	351
Read, Kenneth R.H.	396
Reed, Charlene (sa Reed-Miller, C.)	397
Reed-Miller, Charlene (<u>sa</u> Reed, C.)	398
Rehder, Harald A.	399
Rhodes, Edwin W.	52, 327, 400-408, 500,
	502, 579
Rice, Robert V.	244
Rice, Robert V. Rice, T.R.	
	244
Rice, T.R.	244 588
Rice, T.R. Rines, Henry M.	244 588 432
Rice, T.R. Rines, Henry M. Riordan, Pauline F.	244 588 432 567
Rice, T.R. Rines, Henry M. Riordan, Pauline F. Risser, Jonathan	244 588 432 567 409
Rice, T.R. Rines, Henry M. Riordan, Pauline F. Risser, Jonathan Rivkin, Samuel	244 588 432 567 409
Rice, T.R. Rines, Henry M. Riordan, Pauline F. Risser, Jonathan Rivkin, Samuel Robert, G.	244 588 432 567 409 109 410
Rice, T.R. Rines, Henry M. Riordan, Pauline F. Risser, Jonathan Rivkin, Samuel Robert, G. Robinson, W.E.	244 588 432 567 409 109 410 345
Rice, T.R. Rines, Henry M. Riordan, Pauline F. Risser, Jonathan Rivkin, Samuel Robert, G. Robinson, W.E. Roels, O.A.	244 588 432 567 409 109 410 345
Rice, T.R. Rines, Henry M. Riordan, Pauline F. Risser, Jonathan Rivkin, Samuel Robert, G. Robinson, W.E. Roels, O.A. Rogerson, Peter F.	244 588 432 567 409 109 410 345 411

Russell, Howard J., Jr.	412-413
Ryther, John H.	41
Sanger, J.W.	414-415
Sass, J.	53
Sass, Ronald L.	219, 305
Sastry, Akella N.	50, 416-432
Schelske, Claire L.	433
Schinske, Robert A.	455
Schlieper, C.	538
Schneider, David E.	538
Schott, E.F.	277-278
Schwind, Phil	434
Sellers, James R.	86, 435
Shaw, William N.	436
Sheetz, Michael P.	536
Shum, G.	343-344
Siddall, S.	291
Sidwell, Virginia D.	54, 437-438
Siewicki, Thomas C.	264
Sisson, John D.	236-238, 439
Sisson, Richard T.	440
Smith, Cecelia S.	207
Smith, Gordon S.	441
Smith, Maxwell	442
Smith, Ralph I.	443
Sommers, W.	444
Souza, George	53, 445

Spagnolia, Thomas	446-447, 581
Spitsbergen, Dennis	243, 448-449
Spracklin, Barry W.	325
Sprague, Victor	450
Squibb, K.S.	71
Stafford, Walter F., III	451-452
Stanley, D.J.	102
Stanley, Steven M.	453
Stanton, Robert J., Jr.	127
Stauffer, Robert C.	454
Stephens, Grover C.	455
Stephens, Philip J.	456
Stephens, Raymond E.	30, 122, 457-470, 472-474
Stewart, Lance L.	33, 471
Stewart, M.E.	52
Stewart, Nelson E.	368-369
Stommel, Elijah W.	472-474
Stone, R.L.	475-476
Stuart, Harvey H.	504
Sullivan, Dennis	154
Sunderlin, J.B.	411, 477
Surdi, Richard W.	478-484, 576-577
Swan, William H.	485
Szent-Györgyi, Andrew G.	31, 80-81, 86-88, 106, 198- 200, 246-249, 373, 415, 435, 451-452, 486-489, 536, 550- 552
Szentkiralyi, Eva	248-249, 451-452, 489
Tabarini, Christina L.	490-492

Tappel, A.L.	493
Taylor, Rodman E., Jr.	66-68, 303-304, 494-495
Tenney, Richard D.	263
Tenore, Kenneth R.	496
Tettelbach, Stephen T.	497-502
Thayer, Charles W.	503
Thayer, Gordon W.	391, 504
Theroux, Roger B.	505
Thomas, Frank B.	506-507, 515, 559-566
Thompson, B.G.	374-378, 508-514, 586
Thomson, W.A.B.	507, 515
Thornhill, Donald P.	516
Thurberg, Frederick P.	64
Toner, R.C.	315-316, 517-518
Townshend, E. Roger	217, 519-520
Toyo-Oka, Teruhiko	521
Trifone, Robert	522
Tubiash, Haskell S.	328, 523-525
Turner, Harry J., Jr.	526-530
Tyler, Jim	382
U.S. Dept. Commerce	531-533
U.S. Dept. Interior	534-535
Vale, Ronald D.	536
van Dam, L.	537
van Dessel, Rosa	257
van Winkle, Webster	302
Vanderhoop, Leonard C.	555-556

Vernberg, F. John	538
Verrill, A.E.	539-540
Vibert, Peter	152
Vogel, Steven	541
Volk, John H.	542
Wada, Katsuhiko	543
Wainwright, Stephen A.	544
Walcott, Benjamin	281
Wall, J.R.	545-546
Wall, Robert	256
Wall, Sarah W.	545-546
Waller, Thomas R.	547-549
Wallimann, Theo	152, 199-200, 550-552
Walsh, Dennis T.	553-556
Ward, John	557
Warriner, Karen E.	568
Wass, Marvin L.	558
Webb, N.B.	559-566
Webber, Harold H.	567
Wehling, W.E.	345
Wells, Christine	568
Wells, W.F.	569
Wenzloff, Douglas R.	349
Wheeland, Hoyt A.	570-572
Wheeler, Alfred P.	573-575
Whitaker, Donald R.	479-484, 576-577
Wicksten, Mary K.	578

Widman, James C.	402-408, 500, 579
Wigley, Roland L.	505
Wilbur, Karl M.	125, 573-575, 580
Wilkens, Lon A.	446-447, 581
Williams, Leslie G.	359
Willis, J.	135
Winter, Jürgen E.	582-583
Winter, Mark A.	191, 584-585
Wise, J.P.	586
Wolfe, Douglas A.	34, 587-588
Woo, C.C.	128
Worms, Jean M.	520
Wrenn, Sandra L.	589
Wright, D.A.	590-591
Yeater, Larry W.	592
Yevich, Paul P.	51, 128, 164
Zacchea, Donald	593-594
Zajak, Roman	471
Zaroogian, Gerald E.	138, 595
Zook, Elizabeth G.	54, 437
Zuraw, E.	279, 444, 596

SUBJECT INDEX

Abrasion	131
Adaptation	021, 033, 173, 215, 251, 338, 419, 503, 538
Adductor muscle	035-037, 039, 053, 093-095, 206, 239, 243, 323-324, 350, 414-415, 435, 486, 491-492, 503
Aerial exposure	173
Age	108, 203, 206, 309
Amino acids	106, 148, 219, 244, 272, 275, 455, 458, 461, 463-465, 470, 472-474, 516
Anabolism/Catabolism	036, 038, 040, 194
Anatomy	046, 211, 239, 241, 299, 540
Antigens	366-367
Artifical spawning	041, 076-077, 079, 082, 092, 109, 171, 288, 299, 355, 400, 424, 528, 530
ATPase activity	080-081, 085, 094, 122, 521
Autecology	046, 056, 066, 068, 075, 108, 129, 147, 156, 184-186, 188, 215, 217, 240, 307-308, 326, 362, 392, 410, 416, 497, 504-505, 539
Bacillary necrosis	523-525
Basal apparatus/Basal bodies	030, 459
Behavior	096, 113, 133, 186, 188, 191, 211, 215, 290, 302, 317, 324, 338, 341, 352, 354, 356-358, 372, 409-

Behavior	410, 471, 503, 522, 584- 585
Bibliography	255, 346, 490
Bioaccumulation	048, 053, 064, 069-071, 128, 135, 138, 143-144, 153-154, 164, 348-349, 354, 368-369, 433, 455, 587, 595
Biodeposition	022, 128, 339, 364
Biology (general)	029, 056, 147, 170, 182, 215, 309-310, 346, 371, 394, 410, 434, 448-449, 522, 527, 567
Boring organisms	131, 529
Byssus/Byssal attachment	075, 133, 211, 239-240, 368-369, 419, 549
Calcification	070-071, 124-125, 202
Canada	099, 101-102, 162-163, 217, 267, 344, 410, 520
Chemoreception	123, 136, 353
Chromosomes	491-492, 543
Cilia/Flagella	030, 032, 122, 183, 241, 397-398, 459-470, 472-474, 538
Classification	098, 100, 107, 116, 162- 163, 326
Climatic effects	021, 111, 118, 223-225, 233, 500
Commensalism	123, 136-137, 258-261, 379, 416, 431, 592
Comparative studies	022, 031-035, 038-040, 042-044, 048, 050, 053-055, 057-062, 064, 066, 068, 071, 075-076, 080-091, 095, 097-100, 103-108, 110, 114, 117-128, 130-131, 133, 135, 138, 140-142, 145, 148, 152-154, 158, 165-169, 171,

Comparative studies	173-174, 176-177, 191-192, 194-200, 203, 206-207, 211, 214, 216-219, 224-225, 234-235, 238-239, 242-244, 246-249, 251, 253-254, 256-258, 260-263, 268-274, 277-278, 280-291, 297, 299, 301-305, 309-311, 314-315, 317, 324-325, 327, 338-339, 341-343, 347-349, 351, 353-354, 356-368, 370-373, 379, 391-392, 395-396, 401-405, 407, 409, 411, 413, 416-421, 423-426, 429-433, 435-440, 447, 450, 453-455, 460, 462-465, 471, 476-477, 486-487, 493-496, 500, 502-504, 506-507, 515-517, 521, 523, 525-526, 530-531, 536-538, 541, 543-544, 549-552, 555-556, 560-569, 574, 582-583, 585, 587, 590-596
Competitors/Competition	372, 453
Concretions	070-071, 128
Conditioning	073, 076-077, 079, 083, 092, 155, 288, 315, 432
Consumption	007-020, 149-151, 292-296, 331-336, 374-378, 383-389, 478-484, 508-514, 531-535, 570-572, 576-577, 586
Contractile activity	093-095, 200, 219, 247- 249, 270, 275, 281, 313, 452, 457, 486-487, 489, 521, 536, 550
Culture	021-025, 027-028, 041, 044, 052, 058, 073-074, 076-079, 082-083, 092, 103, 109-110, 114, 134, 141, 155, 166, 168, 175, 182, 190, 214, 217, 220-222, 228, 230-231, 252, 254, 267-268, 288-289, 303-304, 314-315, 330, 342, 346, 371, 400-408, 411, 416, 419, 424-425,

Culture	436, 471, 477, 497, 518- 520, 526-527, 542, 553- 556, 567, 569, 579, 583
Current effects	110, 174, 252, 308, 341-342, 392, 541
Cytology	090, 493
Density/Density studies	077-078, 103, 132, 227, 234, 392, 402-403, 405, 439, 471, 579
Depth/Depth studies	077-078, 132, 439
Digestion/Digestive system	057, 121, 142-144, 195, 239, 241, 253, 394
Disease/Disease control	052, 073-074, 083, 139, 165, 177, 190, 204, 220, 266, 268, 276-278, 343-344, 519, 523-525
Dissolved gases	177
Distribution	001-003, 006, 021, 044, 056, 075, 084, 100, 147, 184-188, 203, 213, 240, 362, 371, 393-394, 410, 416, 436, 471, 505, 527, 539, 545
Diurnal rhythms	356, 358, 538, 574
Ecology	021, 060, 217, 223, 252, 315, 396, 413, 417, 454, 471, 504, 542, 588, 596
Eelgrass	129, 226, 236, 306, 441, 454, 504
Embryos/Embryonic development	083, 109, 257, 288, 355, 419, 429, 497, 502, 528, 543, 590-591
Energy budget	036-040, 042, 095, 143- 144, 148, 173, 219, 352, 365, 432
Environmental effects	098, 108, 135, 215, 309- 310, 392, 424, 428, 588, 596
Enzymes/Enzyme analysis	093, 095, 194-197, 216,

Enzymes/Enzyme analysis	269, 283, 286, 469, 516, 546
Escape response	113, 317, 338, 352, 372, 584-585
Evolution	098-101, 112, 119, 394, 453
Eye	047, 113, 178-181, 201, 209, 290, 320-322, 337, 447, 581
Feeding/Feeding behavior	057, 082, 092, 096-097, 103, 121, 142, 156, 241, 250-251, 253-254, 311, 356, 358-359, 364-365, 390, 394, 423, 432, 455, 496, 517-518, 582-583, 587
Filtration	057, 096-097, 241, 250- 252, 310, 356, 358-359, 364-365, 390, 394, 432, 455, 475, 582-583
Fishery	045-046, 056, 067, 091, 147, 156, 161, 184-185, 187, 210, 223, 228, 232, 245, 300, 307, 346, 371, 412, 440-441, 522, 527, 531, 533, 594, 596
Fishery economics	007-020, 028, 043-045, 091, 103, 111, 149-151, 157, 166, 187, 193, 208, 214, 223, 228, 242, 245, 292-296, 318-319, 328, 331-336, 374-378, 383-389, 400, 478-484, 508-514, 532, 534-535, 567, 570-572, 576-577, 586
Fishery production	007-020, 043-044, 091, 111, 140, 149-151, 157, 159-160, 166, 214, 292-296, 307-308, 318-319, 328, 331-336, 374-378, 383-389, 410, 434, 436, 448, 478-484, 504, 508-514, 532, 534-535, 570-572, 576-577, 586
Food/Food supply/Food utilization	042, 050, 057, 073, 077,

5 1/5 1 3 /5 1	000 101 111 115
Food/Food supply/Food utilization	082, 121, 141-142, 158, 190, 250-251, 253-254, 364-365, 423, 427-428, 430, 432, 496, 517, 530, 582-583
Food technology	054, 170, 263, 325, 346, 370, 437, 506-507, 515, 559-566
Fossil forms	099, 101-102, 107, 112, 118, 127, 130, 301, 360-361, 540, 547
Fouling organisms	130, 168, 235, 276-278, 405, 584-585
Gametogenesis	036-037, 039-040, 042, 158, 420-421, 423, 426, 429-430, 491-492, 495, 530
Gear	007-020, 044, 091, 149- 151, 292-296, 374-378, 383-389, 508-514, 531, 534, 570-572, 586
Genetics/Genetic variation	256, 421-422, 426, 545- 546
Gills/Gill filament	030, 032, 183, 397-398, 461, 538
Glycogen/Glycolysis	036-037, 093, 143-144, 158, 491-492
Gonads	049-050, 418, 420-421, 423, 427-430, 491-492
Growth/Growth rate	028, 033-034, 038, 045- 046, 057, 066-068, 076, 098, 103, 110, 126, 132, 141-142, 144, 147, 155, 168, 173, 186, 188, 190, 192, 203, 215, 234, 243, 250-254, 259, 268, 303- 304, 307-308, 315, 342, 357, 364, 368-369, 401- 403, 405, 407, 409, 413, 416, 419, 432, 439, 448- 449, 477, 491-492, 494, 496-497, 502, 520, 567, 573-574, 579, 582-583, 589, 593

Growth ridges/Growth ring	117-118, 202, 345, 357, 573, 575, 589
Habitat	006, 021, 108, 129, 156, 186, 188, 217, 223, 226, 362, 382, 393-394, 410, 413, 454, 471, 504, 533, 538-539, 542, 585-585
Harvesting methods	187, 228, 300, 371, 449, 504, 527
Hinge/Hinge ligament	211, 218-219, 244, 291, 305, 516, 541
Hydrocarbons	053, 153-154, 596
Hydrography/Hydrology	021, 154, 156, 217, 279, 307-308, 340-341, 396, 495, 497, 541, 555-556, 588
Hypoxia	095, 276, 302, 396
Identification	091, 115, 162, 212-213, 363, 380, 382, 393, 505, 558
	330
Imports	331-336, 478-484, 531-532, 535, 576-577
Imports Instrumentation	331-336, 478-484, 531-532,
	331-336, 478-484, 531-532, 535, 576-577
Instrumentation	331-336, 478-484, 531-532, 535, 576-577 189, 207, 325 069-071, 128, 164, 344,
Instrumentation Kidneys	331-336, 478-484, 531-532, 535, 576-577 189, 207, 325 069-071, 128, 164, 344, 433 007-020, 043-044, 091-092, 146, 149-151, 157, 166, 184-185, 223, 243, 245, 292-297, 318-319, 328, 331-336, 371, 374-378, 383-389, 478-484, 504, 508-514, 531-532, 534-535,

Life history	043, 045-046, 049, 056, 079, 082, 156, 182, 186, 188, 190, 210, 240, 243, 299, 307-308, 310, 409-410, 413, 428, 430, 448-449, 527
Light chains	031, 087-088, 152, 198- 200, 249, 347, 435, 451, 488-489, 550-552
Light effects/Light response	047, 113, 126, 178-181, 201, 290, 320-322, 324, 355, 357, 427, 589
Lipids	036-037, 143-144, 158, 395, 466-468
Mass mortality/Mass strandings	224, 233, 276-278, 500
Metabolism/Metabolic activity	036-038, 040, 042, 048, 095, 143-144, 148, 158, 180-181, 194, 216, 310, 339, 423, 428
Metals	069-071, 135, 348-349, 368-369, 587-588
Migration	026, 067, 156, 233, 240, 441, 494
Mineralization	573-575
Morphology	001-003, 056, 070, 098, 100, 116-117, 147, 164, 174, 186, 188, 211, 218, 239, 241, 299, 382, 393, 416-417, 471, 533, 539, 544, 547, 549, 580, 589
Mortality/Mortality rate	034, 036-037, 064, 070, 073, 075-076, 079, 103, 132, 139, 141, 164, 177, 224-225, 234, 238, 243, 250, 257, 267-268, 277-278, 303-304, 307-309, 327, 342, 348-349, 353-354, 368-369, 396, 401-402, 405, 407, 413, 423, 425, 440, 445, 477, 491-492, 496-497, 499-502, 520, 523-524, 526, 529, 539, 579, 590-591

Muscle studies	031, 035, 080-081, 085- 088, 093-095, 106, 108, 145, 152, 176, 198-200, 206, 219, 244, 246-249, 270-275, 280-281, 313, 323-324, 347, 350, 373, 414-415, 435, 451-452, 457-458, 470, 486-489, 493, 503, 521, 536, 550- 552, 568
Natural history	043, 046, 056, 073, 147, 156, 184-188, 190, 215, 240, 251, 265, 527, 539
Neurosecretion	049-051, 428
Nutrient reserves/Nutrient storage	039, 042, 050, 143-144, 158, 423, 430, 491-492
Nutrition	057, 121, 142, 276, 364- 365, 496
Oil Pollution	053, 164, 354
Oocytes/Oogenesis	050, 158, 427-428, 430
Orientation	341, 584-585
Paleoecology	118, 127, 301, 360-361, 503, 547
Parasites/Parasitic infection	055, 059-063, 089, 186, 188, 262, 277-278, 282, 287, 343-344, 413, 450
Parietovisceral ganglion	446-447, 456, 581
Peptides	472-474
Pesticides	153-154
Phytoplankton/Planktonic effects	022, 077, 082-083, 092, 096-097, 103, 110, 121, 131, 142, 190, 220, 235, 250-254, 303-304, 315, 340, 356, 358-359, 364-365. 390, 411, 432, 439, 496, 517-518, 594
Pollution/Pollutant effects	053, 064, 153-154, 164, 191, 228, 276, 354, 433, 596

Population studies	026, 066-068, 129, 203, 220, 226-227, 233-234, 276-278, 306, 312, 316, 345-346, 362, 372, 412, 440, 471, 494, 594
Predation/Predator control	005, 021, 073, 083, 120, 130-131, 168, 204, 228, 234, 277-278, 307-308, 317, 324, 338, 342, 352-354, 372, 381, 392, 413, 498, 501, 584-585, 596
Proceedings/Collections	065, 229
Processing	325, 346, 370-371, 506- 507, 515, 555-556, 559- 562, 564, 566-567
Proteins/Protein synthesis	048, 080-081, 085-088, 094, 106, 122, 145, 152, 176, 198-200, 219, 244, 246-248, 270-275, 280-281, 285-286, 313, 347, 350, 373, 435, 451-452, 458- 470, 472-474, 486-489, 516, 521, 536, 550-552, 568
Proximate composition	054, 263, 437-438, 507, 561-562, 564-566
Radioactivity	034, 433, 587
Range/Range extension	021, 043, 100, 115-116, 147, 184-185, 213, 382, 393, 539
Reproduction/Reproductive system	036-038, 040, 042, 049, 051, 056, 066, 068, 079, 104-105, 155-156, 172, 190, 192, 203, 215, 299, 392, 394, 410, 416, 418, 420, 423, 426, 428-430, 495, 528
Resource management	004, 026-027, 044, 046, 067, 114, 157, 159-161, 167-168, 175, 184-185, 187, 193, 208, 214, 217, 220, 223, 228, 231-233 242, 279, 300, 310, 312, 315-316, 319, 328, 346, 412-413, 441, 444, 448-

Resource management	449, 504, 520, 527, 531, 533, 542, 553, 555-557, 569, 594, 596
Respiration/Respiratory system	064, 169, 206, 239, 250- 251, 302, 349, 394, 432, 475-476, 537
Reviews	074, 140, 346
Salinity effects/Salinity tolerance	040, 075, 133, 135, 276, 288, 327, 348, 392, 425, 439, 448-449, 497, 500, 502, 538
Seasonal cycle	036-037, 040, 042, 084, 215, 234, 238, 421, 428, 430, 495
Seasonal variation	038-039, 051, 075, 108, 129, 143-144, 243, 339, 354, 427, 433, 448-449, 498-499, 501, 538, 593
Seed size	238, 257, 298, 345, 439
Serology	366-367
Sewage effluent	022, 496
Sexual differentiation	104-105
Shell abnormalities	141, 303-304, 357
Shell/Shell size	098, 100, 108, 117-118, 124-125, 130-131, 141-142, 174, 202-203, 211, 219, 256, 357, 391, 448-449, 473, 491-492, 498, 533, 540, 544, 549, 574-575, 580, 589
Socioeconomics	157
Spat collection	230, 237
Spawning	043, 050, 073-074, 076, 083-084, 092, 155, 171, 203, 220, 234, 238, 299, 308, 315, 355, 409, 418, 420-421, 429, 494-495, 497, 520, 528

Stock assessment	004, 027, 111, 129, 159, 226, 279, 312, 329, 440, 531
Substrate/Substrate effects	006, 043, 082, 131, 236, 276, 584-585
Swimming	113, 191, 240, 317, 324, 338, 341, 352, 372, 503, 541, 584-585
Systematics	001-003, 056, 147, 346, 540, 547
Taxonomy	029, 115-116, 162, 399, 442-443, 539
Temperature/Temperature effects	038, 040, 049-050, 075, 103, 110, 129, 133, 135, 158, 194-197, 203, 216, 225-226, 238, 243, 250-251, 254, 276, 288, 303-304, 307, 327, 342, 348, 352, 354-355, 392, 396, 402, 418, 420-421, 423, 425, 427-428, 430, 439, 448-449, 495, 497-498, 502, 530, 538, 545, 582, 590-591, 593-594
Thermal acclimation/Thermal tolerance	538, 590-591
Toxicity	053, 064, 069-070, 153, 164, 348-349, 368-369, 433, 595
Transplantation	027, 066, 068, 167-168, 217, 220, 230, 267, 315, 329, 342, 400, 412-413, 439, 520, 557, 578, 594, 596
Triploidy	491-492
United StatesAtlantic coast	166, 184-185, 312, 442, 527
United StatesCalifornia	127, 578
United StatesConnecticut	033, 108, 167-168, 279, 306-308, 310-311, 342, 344, 392, 444, 471, 498-500, 542, 596

United StatesDelaware	29
United StatesGulf of Mexico	038, 059-063, 112, 156, 213, 326, 328, 360-361, 393, 416-417, 442
United StatesLong Island Sound	117, 129, 154, 203, 318- 319, 542, 569, 579, 594
United StatesMassachusetts	005-006, 043-046, 066-067, 159, 205, 221, 224-229, 231-236, 238, 245, 298, 316, 329, 345, 439, 443, 445, 494-495, 539, 553, 555-556
United StatesNew Jersey	72, 107
United StatesNorth Carolina	91, 157, 187, 208, 212, 242-243, 363, 380, 382, 448-449, 504, 546, 587
United StatesRhode Island	27, 409, 412, 440, 557
United StatesVirginia	075, 558
Vessels	007-020, 091, 149-151, 157, 292-296, 374-378, 383-389, 508-514, 531, 534, 570-572, 586
Water analysis/Water circulation/ Water currents	023, 082-083, 092, 103, 141, 155, 252, 288, 303-304, 310, 401-402, 411, 425, 477, 555, 582-583, 593







INDEXED BIBLIOGRAPHY OF THE BAY SCALLOP, Argopecten irradians

ADDENDUM

JULY 1987

- Akberali, H.B. and E.R. Trueman. 1985. Effects of environmental stress on marine bivalve molluscs. <u>In</u>: Blaxter, J.H.S. <u>et al</u>. (eds.). Advances in marine biology. New York: Academic Press: 101-198, 39 figs., 7 tables. (Blaxter, J.H.S. <u>et al</u>.; Advances in marine biology; vol. 22).
- Anon. 1986. Bay scallop reseeding update. On The Water (newsletter of the Cornell Cooperative Extension Service, Suffolk County Sea Grant Program) 1(2): 4.
- Anon. 1986. Bay scallops transplanted. On The Water (newsletter of the Cornell Cooperative Extension Service, Suffolk County Sea Grant Program) 1(2): 4.
- Barber, B.J. and N.J. Blake. 1986. Reproductive effort and cost in the bay scallop, <u>Argopecten irradians concentricus</u>. International Journal of Invertebrate Reproduction and Development 10(1): 51-57.
- Bricelj, V.M., J.A. Epp and R.E. Malouf. 1985. Growth and reproduction of bay scallops: a comparison between two sites in eastern Long Island. National Shellfisheries Association Abstracts of the 77th Annual Meeting, Norfolk, VA, June 17-20, 1985: 9.
- Bricelj, V.M., J. Epp and R.E. Malouf. 1987. Intraspecific variation in reproductive and somatic growth cycles of bay scallops <u>Argopecten irradians</u>. Marine Ecology--Progress Series 36(1): 123-127.
- Brock, V., V.S. Kennedy and A. Brock. 1986. Temperature dependency of carbohydrase activity in the hepatopancreas of thirteen estuarine and coastal bivalve species from the North American east coast. Journal of Experimental Marine Biology and Ecology 103(1): 87-101.
- Cake, E.W., Jr. 1985. Status of molluscan shellfisheries in the northern Gulf of Mexico. National Shellfisheries Association Abstracts of the 77th Annual Meeting, Norfolk, VA, June 17-20, 1985: 24.
- Chin, C.P. and W.R. Ellington. 1986. Control of glycolysis during contractile activity in the phasic adductor muscle of the bay scallop, <u>Argopecten irradians concentricus</u>: identification of potential sites of regulation and a consideration of the control of octopine dehydrogenase activity. Physiological Zoology 59(5): 563-573.



- Chin, C.P. and W.R. Ellington. 1986. The role of glycogen phosphorylase in the control of glycolysis during contractile activity in the phasic adductor muscle of the bay scallop, Argopecten irradians concentricus. Physiological Zoology 59(6): 696-705.
- Eckman, J.E. 1987. The role of eelgrass hydrodynamics in recruitment, growth, and survival of Argopecten irradians (L.) and Anomia simplex (D'Orbigny) within eelgrass meadows. Journal of Experimental Marine Biology and Ecology 106(2): 165-192.
- Graham, R.A., W.R. Ellington and C.P. Chin. 1986. A saturation transfer phosphorus nuclear magnetic resonance study of arginine phosphokinase in the muscle of a marine mollusc. Biochimica et Biophysica Acta 887(2): 157-163.
- Hanks, J.E. 1986. Molluscan shellfish culture in the United States--a perspective. Paper presented at the international seminar on shellfish culture development and management; March 4-9, 1985; La Rochelle (France). (In press).
- Ingersoll, E. 1887. The oyster, scallop, clam, mussel and abalone industries. Washington, D.C.: U.S. Commission of Fish and Fisheries, The Fishery Industry of the United States, v. 2, sect.5, pt. 20.
- Lucas, A. 1986. Development strategy for bivalve hatcheries. Paper presented at the international seminar on shellfish culture development and management; March 4-9, 1985; La Rochelle (France). (In press.).
- MacFarlane, S.L. 1985. There's never enough--shellfish management in Orleans, Massachusetts. National Shellfisheries Association Abstracts of the 77th Annual Meeting, Norfolk, VA, June 17-20, 1985: 12.
- Rhodes, E.W. 1986. Aquaculture prospects for bay scallops. Connecticut Currents (newsletter of the University of Connecticut Cooperative Extension Service): 1.
- Rhodes, E.W., J.C. Widman and L.R. Dubois. 1985. Relative value of various bivalve culture strategies. National Shellfisheries Association Abstracts of the 77th Annual Meeting, Norfolk, VA, June 17-20, 1985: 17.
- Rines, H.M. 1985. Effects of biochemical composition of algal diets on growth and metabolism, of juvenile bay scallops, Argopecten irradians (Lamarck). Narragansett, RI: University of Rhode Island. 182 p. Dissertation.



- Stevens, F.S., J.J. Manzi, R.L. Walker and R.A. Kraus. 1985. Growth of overwintering northern shellfish in mariculture ponds and estuarine systems in the southeast. National Shellfisheries Association Abstracts of the 77th Annual Meeting, Norfolk, VA, June 17-20, 1985: 16.
- Tettelbach, S.T. 1986. Dynamics of crustacean predation on the northern bay scallop, <u>Argopecten irradians irradians</u>. Storrs, CT: University of Connecticut. 243 p. Dissertation.
- Tettelbach, S.T. and S.Y. Feng. 1985. Intensity of crab predation of northern bay scallops, <u>Argopecten irradians irradians</u>: effects of prey size and predator assemblages on seasonal patterns. National Shellfisheries Association Abstracts of the 77th Annual Meeting, Norfolk, VA, June 17-20, 1985: 28.
- Thompson, B.G. 1987. Fisheries of the United States, 1986. Washington, D.C.: U.S. Dept. Commerce Current Fishery Statistics No. 8385. 119 p.
- U.S. Dept. Commerce. 1987. NOAA involvement in Long Island Sound. Washington, D.C.: U.S. Dept. Commerce, NOAA Estuarine Programs Office: 12-13.
- Zhang, F., Y. He, X. Liu and J. Ma. 1986. On the introduction of spat-rearing and experimental culture of bay scallop,

 <u>Argopecten irradians</u> (Lamarck). Aquaculture 57(1-4): 378-379.



- 38. The Shelf/Slope Front South of Nantucket Shoals and Georges Bank as Delineated by Satellite Infrared Imagery and Shipboard Hydrographic and Plankton Observations. By J. B. Colton, Jr., J. L. Anderson, J. E. O'Reilly, C. A. Evans-Zetlin, and H. G. Marshall. May 1985. vi + 22 p., 14 figs. NTIS Access. No. PB85-221083/AS.
- **39.** USA Historical Catch Data, 1904-82, for Major Georges Bank Fisheries. By Anne M. T. Lange and Joan E. Palmer. May 1985. iii + 21 p., 12 figs., 2 tables. NTIS Access. No. PB85-233948/AS.
- **40.** Indexing the Economic Health of the U.S. Fishing Industry's Harvesting Sector. By Virgil J. Norton, Morton M. Miller, and Elizabeth Kenney. May 1985. v + 42 p., 44 figs., 25 tables, 1 app. NTIS Access. No. PB85-217958/AS.
- **41.** Calculation of Standing Stocks and Energetic Requirements of the Cetaceans of the Northeast United States Outer Continental Shelf. By Robert D. Kenney, Martin A. M. Hyman, and Howard E. Winn. May 1985. iv + 99 p., 1 fig., 5 tables, 1 app. NTIS Access. No. PB85-239937/AS.
- **42.** Status of the Fishery Resources Off the Northeastern United States for 1985. By Conservation & Utilization Division, Northeast Fisheries Center. August 1985. iii + 137 p., 46 figs., 49 tables. NTIS Access. No. PB86-125473/AS.
- **43.** Status of the Fishery Resources Off the Northeastern United States for 1986. By Conservation & Utilization Division, Northeast Fisheries Center. September 1986. iii + 130 p., 45 figs., 48 tables. NTIS Acces. No. PB87-122115/AS.
- 44. NOAA's Northeast Monitoring Program (NEMP): A Report on Progress of the First Five Years (1979-84) and a Plan for the Future. By Robert N. Reid, Merton C. Ingham, and John B. Pearce, eds., and Catherine E. Warsh (water quality), Robert N. Reid (sediments & bottom organisms), Adriana Y. Cantillo (trace contaminants in tissues), and Edith Gould (biological effects), topic coords. May 1987. xi + 138 p., 13 figs., 1 table, 9 app.
- **45.** Food and Distribution of Juveniles of Seventeen Northwest Atlantic Fish Species, 1973-1976. By Ray E. Bowman, Thomas R. Azarovitz, Esther S. Howard, and Brian P. Hayden. May 1987. xi + 57 p., 10 figs., 19 tables.
- **46.** Influence of Freshwater Inflows on Estuarine Productivity. By James G. Turek, Timothy E. Goodger, Thomas E. Bigford, and John S. Nichols. May 1987. iii + 26 p.
- 47. MARMAP Surveys of the Continental Shelf from Cape Hatteras, North Carolina, to Cape Sable, Nova Scotia (1977-1984). Atlas No. 2. Annual Distribution Patterns of Fish Larvae. By Wallace W. Morse, Michael P. Fahay, and Wallace G. Smith. May 1987. viii + 215 p., 27 figs., 2 tables.

Information Services Section
Northeast Fisheries Center
National Marine Fisheries Service, NOAA
Water St.
Woods Hole, MA 02543





THIRD CLASS MAIL

SUSAN PUTNAM
WOODS HOLE OCEANOGRAPHIC INSTITUTION
DOCUMENT LIBRARY/SMITH 206
WOODS HOLE, MA 02543

NOAA SCIENTIFIC AND TECHNICAL PUBLICATIONS

The National Oceanic and Atmospheric Administration was established as part of the Department of Commerce on October 3, 1970. The mission responsibilities of NOAA are to assess the socioeconomic impact of natural and technological changes in the environment and to monitor and predict the state of the solid Earth, the oceans and their living resources, the atmosphere, and the space environment of the Earth

The major components of NOAA regularly produce various types of scientific and technical information in the following kinds of publications

PROFESSIONAL PAPERS—Important definitive research results, major techniques, and special investigations

CONTRACT AND GRANT REPORTS—Reports prepared by contractors or grantees under NOAA sponsorship

ATLAS—Presentation of analyzed data generally in the form of maps showing distribution of rainfall, chemical and physical conditions of oceans and atmosphere, distribution of fishes and marine mammals, ionospheric conditions, etc.

TECHNICAL SERVICE PUBLICATIONS—Reports containing data, observations, instructions, etc. A partial listing includes data serials prediction and outlook periodicals, technical manuals, training papers, planning reports, and information serials, and miscellaneous technical publications.

TECHNICAL REPORTS—Journal quality with extensive details, mathematical developments, or data listings

TECHNICAL MEMORANDUMS—Reports of preliminary, partial, or negative research or technology results, interim instructions, and the like



information on availability of NOAA publications can be obtained from

National Technical Information Service 5285 Port Royal Roed Springfield, VA 22161